



# SAFETY DATA SHEET

## 1. Identification

|   |   |
|---|---|
| <b>Product identifier</b>                                     | <b>API/GL-5 New Generation™ Limited Slip Gear Oil 80W90 - 1 gal</b> |
| <b>Other means of identification</b>                          |   |
| <b>Product Code</b>   | No. SL2473 (Item# 1007818)  |
| <b>Recommended use</b>  | Gear oil  |
| <b>Recommended restrictions</b>                               | None known.   |
| <b>Manufacturer/Importer/Supplier/Distributor information</b> |   |
| <b>Manufactured or sold by:</b>                               |   |
| <b>Company name</b>   | CRC Industries, Inc.  |
| <b>Address</b>  | 885 Louis Dr.<br>Warminster, PA 18974 US                            |
| <b>Telephone</b>  | 800-556-5074  |
| <b>24-Hour Emergency (CHEMTREC)</b>                           | 800-424-9300 (US)   |
| <b>Website</b>  | crcindustries.com   |

## 2. Hazard(s) identification

|  |   |
|--|---|
| <b>Physical hazards</b>                          | Not classified.   |
| <b>Health hazards</b>                            | Not classified.   |
| <b>Environmental hazards</b>                     | Not classified.   |
| <b>OSHA defined hazards</b>                      | Not classified.   |
| <b>Label elements</b>                            |   |
| <b>Hazard symbol</b>                             | None.   |
| <b>Signal word</b>                               | None.   |
| <b>Hazard statement</b>                          | The mixture does not meet the criteria for classification.  |
| <b>Precautionary statement</b>                   |   |
| <b>Prevention</b>                                | Use only outdoors or in a well-ventilated area. Open doors and windows or use other means to ensure a fresh air supply during use. Observe good industrial hygiene practices. |
| <b>Response</b>                                  | Wash hands after handling.  |
| <b>Storage</b>                                   | Store away from incompatible materials.   |
| <b>Disposal</b>                                  | Dispose of waste and residues in accordance with local authority requirements.  |
| <b>Hazard(s) not otherwise classified (HNOC)</b> | None known.   |
| <b>Supplemental information</b>                  | None.   |

## 3. Composition/information on ingredients

### Mixtures

| <b>Chemical name</b>                                      | <b>Common name and synonyms</b> | <b>CAS number</b> | <b>%</b> |
|---|---------------------------------|-------------------|----------|
| distillates (petroleum), hydrotreated heavy paraffinic    |                                 | 64742-54-7        | 50 - 60  |
| Distillates (petroleum), solvent-refined heavy paraffinic |                                 | 64741-88-4        | 10 - 20  |
| residual oils (petroleum), solvent-refined                |                                 | 64742-01-4        | 10 - 20  |

Specific chemical identity and/or percentage of composition has been withheld as a trade secret.

---

## 4. First-aid measures

|   |  |
|---|--|
| <b>Inhalation</b>   | Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.  |
| <b>Skin contact</b>   | Remove and isolate contaminated clothing and shoes. Wash off with soap and plenty of water. Get medical attention if irritation develops and persists. Wash contaminated clothing before reuse.  |
| <b>Eye contact</b>  | Rinse immediately with plenty of water, also under the eyelids. Remove contact lenses, if present and easy to do. Get medical attention if irritation develops and persists.   |
| <b>Ingestion</b>  | Rinse mouth. Drink 1 or 2 glasses of water. Never give anything by mouth to a victim who is unconscious or is having convulsions. If ingestion of a large amount does occur, call a poison control center immediately. Do not induce vomiting without advice from poison control center. |
| <b>Most important symptoms/effects, acute and delayed</b>                     | Direct contact with eyes may cause temporary irritation.   |
| <b>Indication of immediate medical attention and special treatment needed</b> | Treat symptomatically.   |
| <b>General information</b>  | Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.   |

---

## 5. Fire-fighting measures

|  |  |
|--|--|
| <b>Suitable extinguishing media</b>                                  | Water spray. Foam. Dry chemical powder. Carbon dioxide (CO <sub>2</sub> ).   |
| <b>Unsuitable extinguishing media</b>                                | None known.  |
| <b>Specific hazards arising from the chemical</b>                    | During fire, gases hazardous to health may be formed.  |
| <b>Special protective equipment and precautions for firefighters</b> | Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. |
| <b>Fire-fighting equipment/instructions</b>                          | Move containers from fire area if you can do so without risk. Use standard firefighting procedures and consider the hazards of other involved materials.         |
| <b>Specific methods</b>  | Use standard firefighting procedures and consider the hazards of other involved materials.   |
| <b>General fire hazards</b>  | No unusual fire or explosion hazards noted.  |

---

## 6. Accidental release measures

|  |   |
|--|---|
| <b>Personal precautions, protective equipment and emergency procedures</b> | Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. In case of spills, beware of slippery floors and surfaces. For personal protection, see section 8 of the SDS.   |
| <b>Methods and materials for containment and cleaning up</b>               | <p>The product is immiscible with water and will spread on the water surface. Prevent entry into waterways, sewer, basements or confined areas.</p> <p>Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.</p> <p>Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. The product is insoluble in water.</p> |
| <b>Environmental precautions</b>   | Avoid discharge into drains, water courses or onto the ground.  |

---

## 7. Handling and storage

|   |  |
|---|--|
| <b>Precautions for safe handling</b>                                | Avoid the generation of oil mists. Wear appropriate personal protective equipment. Avoid prolonged or repeated contact with skin. Avoid prolonged exposure. When using, do not eat, drink or smoke. Use only in well-ventilated areas. Use appropriate container to avoid environmental contamination. Wash contaminated clothing before reuse. For product usage instructions, see the product label. |
| <b>Conditions for safe storage, including any incompatibilities</b> | Keep away from heat and sources of ignition. Store in a cool, dry place out of direct sunlight. Store in a well-ventilated place. Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).   |

---

## 8. Exposure controls/personal protection

### Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

**U.S. - OSHA  
Components**

| Components  | Type | Value   |
|---|------|---------|
| distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7) | TWA  | 5 mg/m3 |

**US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)**

| Components   | Type | Value      | Form  |
|--|------|------------|-------|
| distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7)    | PEL  | 5 mg/m3    | Mist. |
| Distillates (petroleum), solvent-refined heavy paraffinic (CAS 64741-88-4) | PEL  | 5 mg/m3    | Mist. |
|  |      | 2000 mg/m3 |       |
|  |      | 500 ppm    |       |

**ACGIH****Components**

| Components  | Type | Value   | Form               |
|---|------|---------|--------------------|
| distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7) | TWA  | 5 mg/m3 | Inhalable fraction |

**US. ACGIH Threshold Limit Values**

| Components   | Type | Value   | Form                |
|--|------|---------|---------------------|
| distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7)    | TWA  | 5 mg/m3 | Inhalable fraction. |
| Distillates (petroleum), solvent-refined heavy paraffinic (CAS 64741-88-4) | TWA  | 5 mg/m3 | Inhalable fraction. |
| residual oils (petroleum), solvent-refined (CAS 64742-01-4)                | TWA  | 5 mg/m3 | Inhalable fraction. |

**U.S. - NIOSH****Components**

| Components  | Type | Value    | Form |
|---|------|----------|------|
| distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7) | STEL | 10 mg/m3 | Mist |
|   | TWA  | 5 mg/m3  | Mist |

**US. NIOSH: Pocket Guide to Chemical Hazards**

| Components   | Type    | Value      | Form  |
|--|---------|------------|-------|
| distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7)    | STEL    | 10 mg/m3   | Mist. |
|  | TWA     | 5 mg/m3    | Mist. |
| Distillates (petroleum), solvent-refined heavy paraffinic (CAS 64741-88-4) | Ceiling | 1800 mg/m3 |       |
|  | STEL    | 10 mg/m3   | Mist. |

**Biological limit values**

No biological exposure limits noted for the ingredient(s).

**Appropriate engineering controls**

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash fountain is recommended.

**Individual protection measures, such as personal protective equipment****Eye/face protection**

Wear safety glasses with side shields (or goggles).

**Skin protection****Hand protection**

Wear protective gloves such as: Nitrile. Polyvinyl chloride (PVC).

|                                       |  |
|---------------------------------------|--|
| <b>Other</b>                          | Wear suitable protective clothing.   |
| <b>Respiratory protection</b>         | If engineering controls are not feasible or if exposure exceeds the applicable exposure limits, use a NIOSH-approved cartridge respirator with an organic vapor cartridge. Use a self-contained breathing apparatus in confined spaces and for emergencies. Air monitoring is needed to determine actual employee exposure levels. |
| <b>Thermal hazards</b>                | Wear appropriate thermal protective clothing, when necessary.  |
| <b>General hygiene considerations</b> | Handle in accordance with good industrial hygiene and safety practice.   |

---

## 9. Physical and chemical properties

### Appearance

|   |  |
|---|--|
| <b>Physical state</b>                               | Liquid.                                |
| <b>Form</b>   | Liquid.                                |
| <b>Color</b>  | Amber.                                 |
| <b>Odor</b>   | Petroleum.                             |
| <b>Odor threshold</b>                               | Not available.                         |
| <b>pH</b>   | Not available.                         |
| <b>Melting point/freezing point</b>                 | Not available.                         |
| <b>Initial boiling point and boiling range</b>      | 680 °F (360 °C) estimated              |
| <b>Flash point</b>                                  | 420.0 °F (215.6 °C) Cleveland Open Cup |
| <b>Evaporation rate</b>                             | Slow.                                  |
| <b>Flammability (solid, gas)</b>                    | Not available.                         |
| <b>Upper/lower flammability or explosive limits</b> |  |
| <b>Explosive limit - lower (%)</b>                  | Not available.                         |
| <b>Explosive limit - upper (%)</b>                  | Not available.                         |
| <b>Vapor pressure</b>                               | Not available.                         |
| <b>Vapor density</b>                                | Not available.                         |
| <b>Relative density</b>                             | 0.9                                    |
| <b>Solubility(ies)</b>                              |  |
| <b>Solubility (water)</b>                           | Insoluble.                             |
| <b>Partition coefficient (n-octanol/water)</b>      | Not available.                         |
| <b>Auto-ignition temperature</b>                    | 500 °F (260 °C) estimated              |
| <b>Decomposition temperature</b>                    | Not available.                         |
| <b>Viscosity</b>                                    | 140 cSt                                |
| <b>Viscosity temperature</b>                        | 104 °F (40 °C)                         |

---

## 10. Stability and reactivity

|   |   |
|---|---|
| <b>Reactivity</b>                         | The product is stable and non-reactive under normal conditions of use, storage and transport. |
| <b>Chemical stability</b>                 | Material is stable under normal conditions.   |
| <b>Possibility of hazardous reactions</b> | No dangerous reaction known under conditions of normal use.                                   |
| <b>Conditions to avoid</b>                | Contact with incompatible materials.  |
| <b>Incompatible materials</b>             | Strong oxidizing agents.  |
| <b>Hazardous decomposition products</b>   | Carbon oxides.  |

---

## 11. Toxicological information

### Information on likely routes of exposure

|                     |  |
|---------------------|--|
| <b>Inhalation</b>   | Prolonged inhalation may be harmful.                     |
| <b>Skin contact</b> | Prolonged skin contact may cause temporary irritation.   |
| <b>Eye contact</b>  | Direct contact with eyes may cause temporary irritation. |

**Ingestion** Expected to be a low ingestion hazard.

**Symptoms related to the physical, chemical and toxicological characteristics** Direct contact with eyes may cause temporary irritation.

**Information on toxicological effects**

**Acute toxicity**

| <b>Product</b>   | <b>Species</b> | <b>Test Results</b> |
|--|----------------|---------------------|
| API/GL-5 New Generation™ Limited Slip Gear Oil 80W90 - 1 gal |                |                     |
| <b>Acute</b>   |                |                     |
| <b>Dermal</b>  |                |                     |
| LD50   | Rabbit         | > 2000 mg/kg        |
| <b>Inhalation</b>  |                |                     |
| LC50   | Rat            | > 20 mg/l, 4 hours  |
| <b>Oral</b>  |                |                     |
| LD50   | Rat            | > 2000 mg/kg        |
| <b>Components</b>  | <b>Species</b> | <b>Test Results</b> |

distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7)

**Acute**

**Dermal**

LD50 Rabbit > 5000 mg/kg

**Oral**

LD50 Rat 5 g/kg

Distillates (petroleum), solvent-refined heavy paraffinic (CAS 64741-88-4)

**Acute**

**Dermal**

LD50 Rabbit > 5000 mg/kg

**Oral**

LD50 Rat > 5000 mg/kg

residual oils (petroleum), solvent-refined (CAS 64742-01-4)

**Acute**

**Dermal**

LD50 Rabbit > 2000 mg/kg

**Inhalation**

LC50 Rat 2.1800000000000001 mg/l, 4 hours

**Oral**

LD50 Rat > 5000 mg/kg

**Skin corrosion/irritation** Prolonged skin contact may cause temporary irritation.

**Serious eye damage/eye irritation** Direct contact with eyes may cause temporary irritation.

**Respiratory or skin sensitization**

**Respiratory sensitization** Not a respiratory sensitizer.

**Skin sensitization** This product is not expected to cause skin sensitization.

**Germ cell mutagenicity** No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

**Carcinogenicity** This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

**IARC Monographs. Overall Evaluation of Carcinogenicity**

distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7) 3 Not classifiable as to carcinogenicity to humans.

Distillates (petroleum), solvent-refined heavy paraffinic (CAS 64741-88-4) 3 Not classifiable as to carcinogenicity to humans.

**OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)**

Not listed.

## US. National Toxicology Program (NTP) Report on Carcinogens

Distillates (petroleum), solvent-refined heavy paraffinic (CAS 64741-88-4) Known To Be Human Carcinogen.

|   |  |
|---|--|
| <b>Reproductive toxicity</b>                              | This product is not expected to cause reproductive or developmental effects. |
| <b>Specific target organ toxicity - single exposure</b>   | Not classified.  |
| <b>Specific target organ toxicity - repeated exposure</b> | Not classified.  |
| <b>Aspiration hazard</b>                                  | Not an aspiration hazard.  |
| <b>Chronic effects</b>                                    | Prolonged inhalation may be harmful.   |
| <b>Further information</b>                                | This product has no known adverse effect on human health.                    |

---

## 12. Ecological information

**Ecotoxicity** The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

| Components   | Species   | Test Results |
|--|-----------|--------------|
| Distillates (petroleum), solvent-refined heavy paraffinic (CAS 64741-88-4) |           |              |
| <b>Aquatic</b>   |           |              |
| <i>Acute</i>   |           |              |
| Fish   | LC50 Fish | > 100 mg/l   |

**Persistence and degradability** No data is available on the degradability of this product.

**Bioaccumulative potential** No data available.

**Mobility in soil** No data available.

**Other adverse effects** No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

---

## 13. Disposal considerations

**Disposal instructions** This product is not a RCRA hazardous waste (See 40 CFR Part 261.20 – 261.33). Empty containers may be recycled. Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose in accordance with all applicable regulations.

**Hazardous waste code** Not regulated.

**Contaminated packaging** Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

---

## 14. Transport information

### DOT

Not regulated as dangerous goods.

### IATA

Not regulated as dangerous goods.

### IMDG

Not regulated as dangerous goods.

---

## 15. Regulatory information

**US federal regulations** All components are on the U.S. EPA TSCA Inventory List. This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

### SARA 304 Emergency release notification

Not regulated.

### OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

### CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

### CERCLA Hazardous Substances: Reportable quantity

Not listed.

Spills or releases resulting in the loss of any ingredient at or above its RQ require immediate notification to the National Response Center (800-424-8802) and to your Local Emergency Planning Committee.

**Toxic Substances Control Act (TSCA)**

**TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)**

Not regulated.

**Other federal regulations**

**Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List**

Not regulated.

**Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)**

Not regulated.

**Safe Drinking Water Act (SDWA)** Not regulated.

**Food and Drug Administration (FDA)** Not regulated.

**Superfund Amendments and Reauthorization Act of 1986 (SARA)**

**SARA 302 Extremely hazardous substance**

Not listed.

**SARA 311/312 Hazardous chemical** No

**SARA 313 (TRI reporting)**

Not regulated.

**US state regulations**

**US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))**

Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified (CAS 64742-54-7)

Distillates (petroleum), solvent-refined heavy paraffinic; Baseoil - unspecified (CAS 64741-88-4)

Residual oils (petroleum,) solvent-refined; Baseoil - unspecified (CAS 64742-01-4)

**US. New Jersey Worker and Community Right-to-Know Act**

Not Listed.

**US. Massachusetts RTK - Substance List**

Oil mist (mineral) (CAS 64741-88-4)

Oil mist (mineral) (CAS 64742-54-7)

**US. Pennsylvania Worker and Community Right-to-Know Law**

Mineral oil mist (CAS 64742-54-7)

**US. Rhode Island RTK**

LUBRICATING OIL (MINERAL) (CAS 64741-88-4)

LUBRICATING OIL (MINERAL) (CAS 64742-54-7)

**California Proposition 65**

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

**Volatile organic compounds (VOC) regulations**

**EPA**

**Consumer products (40 CFR 59, Subpt. C)** Not regulated

**State**

**Consumer products** Not regulated

**VOC content (CA)** <0.1 %

**VOC content (OTC)** <0.1 %

**International Inventories**

| Country(s) or region | Inventory name   | On inventory (yes/no)* |
|----------------------|--|------------------------|
| Australia            | Australian Inventory of Industrial Chemicals (AICIS)       | Yes                    |
| Canada               | Domestic Substances List (DSL)                             | Yes                    |
| Canada               | Non-Domestic Substances List (NDSL)                        | No                     |
| China                | Inventory of Existing Chemical Substances in China (IECSC) | Yes                    |

| Country(s) or region        | Inventory name   | On inventory (yes/no)* |
|-----------------------------|--|------------------------|
| Europe                      | European Inventory of Existing Commercial Chemical Substances (EINECS) | Yes                    |
| Europe                      | European List of Notified Chemical Substances (ELINCS)                 | No                     |
| Japan                       | Inventory of Existing and New Chemical Substances (ENCS)               | No                     |
| Korea                       | Existing Chemicals List (ECL)  | Yes                    |
| New Zealand                 | New Zealand Inventory  | Yes                    |
| Philippines                 | Philippine Inventory of Chemicals and Chemical Substances (PICCS)      | Yes                    |
| Taiwan                      | Taiwan Chemical Substance Inventory (TCSI)                             | Yes                    |
| United States & Puerto Rico | Toxic Substances Control Act (TSCA) Inventory                          | Yes                    |

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

## 16. Other information, including date of preparation or last revision

|                             |  |
|-----------------------------|--|
| <b>Issue date</b>           | 12-17-2019   |
| <b>Revision date</b>        | 09-20-2023   |
| <b>Prepared by</b>          | Angelina Cibulskis   |
| <b>Version #</b>            | 02   |
| <b>Disclaimer</b>           | The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. This information is accurate to the best of CRC's knowledge or obtained from sources believed by CRC to be accurate. Before using any product, read all warnings and directions on the label. For further clarification of any information contained on this (M)SDS consult your supervisor, a health & safety professional, or CRC Industries, Inc.. |
| <b>Revision information</b> | This document has undergone significant changes and should be reviewed in its entirety.  |