



# CRC® Evapo-Rust® Gel Rust Remover, 8 Fl Oz

## Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)  
Issue date: 9/15/2025 Version: 1.0

### SECTION 1: Identification

#### 1.1. Identification

Trade name : CRC® Evapo-Rust® Gel Rust Remover, 8 Fl Oz  
Product code : 1752903  
Part number : ER088

#### 1.2. Recommended use and restrictions on use

Use of the substance/mixture : Rust remover  
Restrictions on use : None known

#### 1.3. Supplier

##### Manufactured or sold by:

CRC Industries, Inc.  
885 Louis Dr.  
Warminster, PA 18974  
United States  
T 1-800-556-5074  
[crcindustries.com](http://crcindustries.com)

#### 1.4. Emergency telephone number

Emergency number : 1-800-424-9300  
24-Hour Emergency

### SECTION 2: Hazard(s) identification

#### 2.1. Classification of the substance or mixture

##### GHS US classification

Skin corrosion/irritation, Category 1B	Causes severe skin burns and eye damage.
Serious eye damage/eye irritation, Category 1	Causes serious eye damage.
Hazardous to the aquatic environment — Acute Hazard, Category 2	Toxic to aquatic life.

#### 2.2. GHS Label elements, including precautionary statements

##### GHS US labeling

Hazard pictograms (GHS US) :



Signal word (GHS US) : Danger

Hazard statements (GHS US) : Causes severe skin burns and eye damage

Precautionary statements (GHS US) : Do not breathe mist, vapors, spray.  
Use only outdoors or in a well-ventilated area.  
Open doors and windows or use other means to ensure a fresh air supply during use and while product is drying. If you experience any symptoms listed on this label, increase ventilation or leave the area.  
Wear protective gloves, protective clothing, eye and face protection.  
Wash hands thoroughly after handling.  
If swallowed: rinse mouth. Do NOT induce vomiting.  
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.  
Wash contaminated clothing before reuse.

# CRC® Evapo-Rust® Gel Rust Remover, 8 Fl Oz

## Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

If inhaled: Remove person to fresh air and keep comfortable for breathing.  
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
Immediately call a poison center or doctor.  
Store locked up.  
Dispose of contents/container in accordance with local/regional/national regulations.

### 2.3. Other hazards which do not result in classification

No additional information available

### 2.4. Unknown acute toxicity (GHS US)

No additional information available

## SECTION 3: Composition/Information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Chemical name / Synonyms	Product identifier	%
Phosphoric acid	Orthophosphoric acid	CAS-No.: 7664-38-2	10 - 30
2,2'-(9-Octadecenyylimino)bisethanol	2,2'-(9-Octadecenyylimino)bisethanol	CAS-No.: 25307-17-9	1 – 5
Ethoxylated alcohols (C=9-11)	Ethoxylated alcohols (C=9-11)	CAS-No.: 68439-46-3	1 – 5

Comments : Specific chemical identity and/or percentage of composition has been withheld as a trade secret.

## SECTION 4: First-aid measures

### 4.1. Description of first aid measures

First-aid measures general : Corrosive substance. Causes burns. Call a physician immediately. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention if you feel unwell.

First-aid measures after skin contact : Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. Call a physician immediately. Wash contaminated clothing before reuse.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.

First-aid measures after ingestion : Call a physician immediately. Rinse mouth. Do not induce vomiting because of corrosive effects. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Do not use mouth-to-mouth method if victim ingested the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.

### 4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects : May cause severe burns.

Symptoms/effects after inhalation : Prolonged inhalation may be harmful.

Symptoms/effects after skin contact : Burns.

Symptoms/effects after eye contact : Serious damage to eyes.

Symptoms/effects after ingestion : Burns.

# CRC® Evapo-Rust® Gel Rust Remover, 8 Fl Oz

## Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

### 4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

## SECTION 5: Fire-fighting measures

### 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. BC-powder. Carbon dioxide.  
Unsuitable extinguishing media : Do not use a heavy water stream.

### 5.2. Specific hazards arising from the chemical

Fire hazard : No fire hazard.  
Explosion hazard : No direct explosion hazard.  
Hazardous decomposition products in case of fire : During fire, gases hazardous to health may be formed.

### 5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection.  
Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Stop leak if safe to do so. Absorb spillage to prevent material-damage. Notify authorities if product enters sewers or public waters.

#### 6.1.1. For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.  
Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Do not breathe mist, vapors, spray.

#### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".  
Emergency procedures : Evacuate unnecessary personnel. Stop leak if safe to do so.

### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

For containment : Stop leak, if possible without risk. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Collect spillage.  
Methods for cleaning up : Take up liquid spill into absorbent material. Take up mechanically (sweeping, shoveling) and collect in suitable container for disposal. Clean surface thoroughly to remove residual contamination.  
Additional Regulatory Information : Dispose of materials or solid residues at an authorized site.

### 6.4. Reference to other sections

For further information refer to section 13.

# CRC® Evapo-Rust® Gel Rust Remover, 8 Fl Oz

## Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling	: Ensure good ventilation of the work station. Wear personal protective equipment. Do not get in eyes, on skin, or on clothing. Do not breathe mist, vapors, spray. Use only outdoors or in a well-ventilated area. Open doors and windows or use other means to ensure a fresh air supply during use and while product is drying. If you experience any symptoms listed on this label, increase ventilation or leave the area. Avoid prolonged exposure. Do not mix with alkali. For product usage instructions, see the product label.
Hygiene measures	: Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures	: Keep in a cool, well-ventilated place away from heat.
Storage conditions	: Store locked up. Store in a cool, dry place out of direct sunlight. Protect against frost. Store away from incompatible materials.
Packaging materials	: Store always product in container of same material as original container.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

Phosphoric acid (7664-38-2)	
<b>USA - ACGIH - Occupational Exposure Limits</b>	
Local name	Phosphoric acid
ACGIH® TLV® TWA	1 mg/m <sup>3</sup>
ACGIH® TLV® STEL	3 mg/m <sup>3</sup>
Remark (ACGIH)	TLV® Basis: Eye, Skin & URT irr
Regulatory reference	ACGIH 2025
<b>USA - OSHA - Occupational Exposure Limits</b>	
Local name	Phosphoric acid
OSHA PEL TWA	1 mg/m <sup>3</sup>
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1
<b>USA - NIOSH - Occupational Exposure Limits</b>	
Local name	Phosphoric acid
NIOSH REL 10h TWA	1 mg/m <sup>3</sup>
NIOSH REL STEL	3 mg/m <sup>3</sup>
Regulatory reference (US-NIOSH)	OSHA Annotated Table Z-1 (NIOSH Pocket Guide to Chemical Hazards (NPG))

#### 8.2. Appropriate engineering controls

Appropriate engineering controls	: Ensure good ventilation of the work station.
Environmental exposure controls	: Avoid release to the environment.

# CRC® Evapo-Rust® Gel Rust Remover, 8 Fl Oz

## Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

### 8.3. Individual protection measures/Personal protective equipment

#### Personal protective equipment:

Wear recommended personal protective equipment.

#### Hand protection:

Wear protective gloves such as: Butyl rubber

#### Eye protection:

Goggles. Safety glasses with side shields

#### Skin and body protection:

Wear suitable protective clothing

#### Respiratory protection:

If engineering controls are not feasible or if exposure exceeds the applicable exposure limits, use a NIOSH-approved cartridge respirator with an acid gas cartridge. Use a self-contained breathing apparatus in confined spaces and for emergencies. Air monitoring is needed to determine actual employee exposure levels.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Color	: Colorless to light yellow
Odor	: Acid
Odor threshold	: No data available
Melting point	: < -22 °F (< -30 °C) at 1 atm
Freezing point	: < -22 °F (< -30 °C) at 1 atm
Boiling point	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Flash point	: > 257 °F (> 125 °C)
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
pH	: 1 – 2
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Vapor pressure	: No data available
Evaporation rate	: No data available
Density and/or relative density	
Density	: 8.47 lb/gal
Relative density	: 1.015
Relative vapor density at 20°C	: No data available
Particle characteristics	: No data available
Molecular mass	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

### 9.2. Additional Regulatory Information

No additional information available

# CRC® Evapo-Rust® Gel Rust Remover, 8 Fl Oz

## Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

Reacts violently with bases.

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

Store away from incompatible materials.

#### 10.5. Incompatible materials

Strong oxidizing agents. Bases.

#### 10.6. Hazardous decomposition products

Carbon oxides (CO, CO<sub>2</sub>). Nitrogen oxides. Phosphorus oxides.

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Symptoms/effects	: May cause severe burns.
Symptoms/effects after inhalation	: Prolonged inhalation may be harmful.
Symptoms/effects after skin contact	: Burns.
Symptoms/effects after eye contact	: Serious damage to eyes.
Symptoms/effects after ingestion	: Burns.
Acute toxicity (oral)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (dermal)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (inhalation)	: Not classified (Based on available data, the classification criteria are not met)

#### Phosphoric acid (7664-38-2)

LD50 oral rat	1530 mg/kg
LD50 dermal rabbit	2000 mg/kg
LD50 dermal	2740 mg/kg body weight

#### 2,2'-(9-Octadecenyylimino)bisethanol (25307-17-9)

LD50 oral rat	1260 mg/kg Source: ECHA
---------------	-------------------------

#### Ethoxylated alcohols (C=9-11) (68439-46-3)

LD50 oral rat	1378 mg/kg Source: Corporate Solution From Thomson Micromedex
LD50 dermal rat	> 2000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LD50 dermal rabbit	2000 mg/kg Source: Corporate Solution From Thomson Micromedex
LC50 Inhalation - Rat	> 1.6 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)

Skin corrosion/irritation : Causes severe skin burns.  
pH: 1 – 2

Serious eye damage/irritation : Causes serious eye damage.  
pH: 1 – 2

# CRC® Evapo-Rust® Gel Rust Remover, 8 Fl Oz

## Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

Respiratory or skin sensitization	: Not classified (Based on available data, the classification criteria are not met)
Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met)
Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met)
STOT-single exposure	: Not classified (Based on available data, the classification criteria are not met)
STOT-repeated exposure	: Not classified (Based on available data, the classification criteria are not met)

<b>Phosphoric acid (7664-38-2)</b>	
NOAEL (oral,rat,28 days)	250 mg/kg bw/day
NOAEL (oral,rat,90 days)	338 mg/kg bw/day

<b>Ethoxylated alcohols (C=9-11) (68439-46-3)</b>	
NOAEL (oral,rat,90 days)	≥ 500 mg/kg body weight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)

Aspiration hazard	: Not classified (Based on available data, the classification criteria are not met)
Viscosity, kinematic	: No data available

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general : Toxic to aquatic life.

<b>Phosphoric acid (7664-38-2)</b>	
LC50 - Fish [1]	75.1 mg/l
EC50 - Crustacea [1]	> 376 mg/l
EC50 - Other aquatic organisms [1]	> 100 mg/l waterflea
EC50 72h - Algae [1]	77.9 mg/l
NOEC chronic fish	40 mg/l
NOEC chronic crustacea	1.02 mg/l

<b>2,2'-(9-Octadecenyloxy)bisethanol (25307-17-9)</b>	
LC50 - Fish [1]	0.1 mg/l Source: ECHA
EC50 - Crustacea [1]	0.043 mg/l Test organisms (species): Daphnia magna
ErC50 algae	53800 mg/l Source: ECHA

<b>Ethoxylated alcohols (C=9-11) (68439-46-3)</b>	
LC50 - Fish [1]	8.5 mg/l Source: ECOTOX
EC50 - Crustacea [1]	2.686 mg/l Source: ECOTOX
EC50 96h - Algae [1]	1.4 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)

### 12.2. Persistence and degradability

<b>CRC® Evapo-Rust® Gel Rust Remover, 8 Fl Oz</b>	
Persistence and degradability	No data is available on the degradability of this product.

# CRC® Evapo-Rust® Gel Rust Remover, 8 Fl Oz

## Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

### 12.3. Bioaccumulative potential

#### Phosphoric acid (7664-38-2)

Partition coefficient n-octanol/water (Log Pow) -0.77

#### 2,2'-(9-Octadecenylimino)bisethanol (25307-17-9)

Partition coefficient n-octanol/water (Log Pow) 3.4 Source: ECHA

### 12.4. Mobility in soil

No additional information available

### 12.5. Other adverse effects

Other adverse effects : May cause pH changes in aqueous ecological systems.

## SECTION 13: Disposal considerations

### 13.1. Disposal methods

Regional waste regulation : Avoid release to the environment. Dispose of contents/container in accordance with local/regional/national regulations.

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Sewage disposal recommendations : Do not allow to enter sewers, surface or groundwater. Disposal must be done according to official regulations.

Product/Packaging disposal recommendations : Disposal must be done according to official regulations. Empty container can be recycled.




Hazardous waste code : Possible RCRA waste code includes:  
D002: Corrosive Waste

However, it is the generator's responsibility to determine the proper classification and disposal method at the time of disposal.

Additional information : Do not re-use empty containers.

## SECTION 14: Transport information

In accordance with DOT / IMDG / IATA

DOT	IMDG	IATA
<b>14.1. UN number</b>		
UN3264	3264	3264
<b>14.2. Proper Shipping Name</b>		
Corrosive liquid, acidic, inorganic, n.o.s. (Phosphoric acid) (Limited quantity)	Corrosive liquid, acidic, inorganic, n.o.s. (Phosphoric acid) (Limited quantity)	Corrosive liquid, acidic, inorganic, n.o.s. (Phosphoric acid)
<b>14.3. Transport hazard class(es)</b>		
LTD QTY	LTD QTY	8
		

# CRC® Evapo-Rust® Gel Rust Remover, 8 Fl Oz

## Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

DOT	IMDG	IATA
<b>14.4. Packing group</b>		
III	III	III
<b>14.5. Environmental hazards</b>		
No supplementary information available		

### 14.6. Special precautions for user

#### DOT

- Class (DOT) : 8 - Class 8 - Corrosive material 49 CFR 173.136
- UN-No. (DOT) : UN3264
- DOT Special Provisions (49 CFR 172.102) : 386 - Notwithstanding the provisions of §177.834(l) of this subchapter, cargo heaters may be used when weather conditions are such that the freezing of a wetted explosive material is likely. Shipments must be made by private, leased or contract carrier vehicles under exclusive use of the offeror. Cargo heaters must be reverse refrigeration (heat pump) units. Shipments made in accordance with this Special provision are excepted from the requirements of §173.60(b)(4) of this subchapter.  
 B2 - MC 300, MC 301, MC 302, MC 303, MC 305, and MC 306 and DOT 406 cargo tanks are not authorized.  
 IB2 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized.  
 T11 - 6 178.274(d)(2) Normal..... 178.275(d)(3)  
 TP2 - a. The maximum degree of filling must not exceed the degree of filling determined by the following: (image) Where:  $t_r$  is the maximum mean bulk temperature during transport,  $t_f$  is the temperature in degrees celsius of the liquid during filling, and  $a$  is the mean coefficient of cubical expansion of the liquid between the mean temperature of the liquid during filling ( $t_f$ ) and the maximum mean bulk temperature during transportation ( $t_r$ ) both in degrees celsius. b. For liquids transported under ambient conditions may be calculated using the formula: (image) Where:  $d_{15}$  and  $d_{50}$  are the densities (in units of mass per unit volume) of the liquid at 15 C (59 F) and 50 C (122 F), respectively.  
 TP27 - A portable tank having a minimum test pressure of 4 bar (400 kPa) may be used provided the calculated test pressure is 4 bar or less based on the MAWP of the hazardous material, as defined in 178.275 of this subchapter, where the test pressure is 1.5 times the MAWP.
- DOT Packaging Exceptions (49 CFR 173.xxx) : 154
- DOT Packaging Non Bulk (49 CFR 173.xxx) : 202
- DOT Packaging Bulk (49 CFR 173.xxx) : 242
- DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27) : 1 L
- DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75) : 30 L
- DOT Vessel Stowage Location : B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this section is exceeded.
- DOT Vessel Stowage Other : 40 - Stow "clear of living quarters", 53 - Stow "separated from" alkaline compounds, 58 - Stow "separated from" cyanides

#### IMDG

- Class (IMDG) : 8 - Corrosive substances
- Special provision (IMDG) : 223, 274
- Limited quantities (IMDG) : 5 L
- Excepted quantities (IMDG) : E1
- Packing instructions (IMDG) : P001, LP01

# CRC® Evapo-Rust® Gel Rust Remover, 8 Fl Oz

## Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

IBC packing instructions (IMDG)	: IBC03
Tank instructions (IMDG)	: T7
Tank special provisions (IMDG)	: TP1, TP28
EmS-No. (Fire)	: F-A - FIRE SCHEDULE Alfa - GENERAL FIRE SCHEDULE
EmS-No. (Spillage)	: S-B - SPILLAGE SCHEDULE Bravo - CORROSIVE SUBSTANCES
Stowage category (IMDG)	: A
Stowage and handling (IMDG)	: SW2
Segregation (IMDG)	: SGG1, SG36, SG49
Properties and observations (IMDG)	: Causes burns to skin, eyes and mucous membranes.

### IATA

Class (IATA)	: 8 - Corrosives
PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y841
PCA limited quantity max net quantity (IATA)	: 1L
PCA packing instructions (IATA)	: 852
PCA max net quantity (IATA)	: 5L
CAO packing instructions (IATA)	: 856
CAO max net quantity (IATA)	: 60L
Special provision (IATA)	: A3, A803
ERG code (IATA)	: 8L

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. US Federal regulations

#### Toxic Substances Control Act (TSCA)

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

Name	CAS-No.	Commercial status	Flags
Water	7732-18-5	Active	XU
Phosphoric acid	7664-38-2	Active	
2,2'-(9-Octadecenylimino)bisethanol	25307-17-9	Active	
Ethoxylated alcohols (C=9-11)	68439-46-3	Active	XU

#### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not listed

#### Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) Hazardous Substance

# CRC® Evapo-Rust® Gel Rust Remover, 8 Fl Oz

## Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

CERCLA Section 103 (40CFR302.4)	Spills or releases resulting in the loss of any ingredient at or above its RQ require immediate notification to the National Response Center (800-424-8802) and to your Local Emergency Planning Committee.
---------------------------------	---

CERCLA RQ	
Phosphoric acid (7664-38-2)	5000 lb

### Superfund Amendments and Reauthorization Act of 1986 Title III (Emergency Planning and Community Right-to-Know Act of 1986) Section 302 Extremely Hazardous Substance

Not listed

### Section 304 Emergency Release Notification

Not listed

### Sections 311/312 Hazard Classification

Not listed

### Section 313 (TRI Reporting)

This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

## 15.2. International regulations

No additional information available

## 15.3. US State regulations

### California Proposition 65

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

## State Regulations

Component	State Regulations
Phosphoric acid(7664-38-2)	U.S. - Massachusetts - Right To Know List; U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - New York City - Right to Know Hazardous Substances List; U.S. - Pennsylvania - RTK (Right to Know) List; U.S. - Rhode Island - Right to Know Hazardous Substance List

## 15.4 Other Regulatory Information

### Volatile organic compound (VOC) regulation

#### EPA

VOC content (40 CFR 51.100(s))

5 %

# CRC® Evapo-Rust® Gel Rust Remover, 8 Fl Oz

## Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

Consumer products (40 CFR 59, Subpt. C))	Not regulated.
<b>State</b>	
Consumer products	Not regulated.
VOC Content (CA)	0 %
VOC Content (OTC)	0 %

### SECTION 16: Other information

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

Author : Angelina Cibulskis

Safety Data Sheet (SDS), USA, CRC

The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. This information is accurate to the best of CRC's knowledge or obtained from sources believed by CRC to be accurate. Before using any product, read all warnings and directions on the label. For further clarification of any information contained on this (M)SDS consult your supervisor, a health & safety professional, or CRC Industries Inc.