

# SAFETY DATA SHEET

### 1. Identification

Product identifier	Contact Cleaner - 14 oz	
Other means of identification		
Product Code	No. 03070 (Item# 1003333)	
Recommended use	Precision electronics cleaner	
Recommended restrictions	None known.	
Manufacturer/Importer/Supplier/	Distributor information	
Manufactured or sold by:		
Company name	CRC Industries, Inc.	
Address	885 Louis Dr.	
	Warminster, PA 18974 US	
Telephone		
General Information	215-674-4300	
Technical Assistance	800-521-3168	
Customer Service	800-272-4620	
24-Hour Emergency	800-424-9300 (US)	
(CHEMTREC)		
Website	www.crcindustries.com	
2. Hazard(s) identification		
Physical hazards	Gases under pressure	Liquefied gas
Health hazards	Skin corrosion/irritation	Category 2
	Serious eye damage/eye irritation	Category 2
	Specific target organ toxicity, single exposure	Category 3 respiratory tract irritation
	Specific target organ toxicity, single exposure	
Environmental hazards	Not classified.	
OSHA defined hazards	Not classified.	
Label elements		
Laber elements	<b>A A</b>	
Signal word	Warning	
Hazard statement	Contains gas under pressure; may explode if h irritation. May cause respiratory irritation. May	neated. Causes skin irritation. Causes serious eye cause drowsiness or dizziness.
Precautionary statement		
Prevention	°C/120 °F. Use only outdoors or in a well-venti	t expose to heat or store at temperatures above 49 lated area. Open doors and windows or use other and while product is drying. If you experience any
Prevention	°C/120 °F. Use only outdoors or in a well-venti means to ensure a fresh air supply during use symptoms listed on this label, increase ventilat	
Prevention Response	°C/120 °F. Use only outdoors or in a well-venti means to ensure a fresh air supply during use symptoms listed on this label, increase ventilat Wash thoroughly after handling. Wear eye pro If inhaled: Remove person to fresh air and kee center/doctor if you feel unwell. If in eyes: Rins	lated area. Open doors and windows or use other and while product is drying. If you experience any tion or leave the area. Avoid breathing mist/vapors. tection/face protection. Wear protective gloves. p comfortable for breathing. Call a poison se cautiously with water for several minutes. do. Continue rinsing. If eye irritation persists: Get plenty of water. If skin irritation occurs: Get
	°C/120 °F. Use only outdoors or in a well-venti means to ensure a fresh air supply during use symptoms listed on this label, increase ventilat Wash thoroughly after handling. Wear eye pro- If inhaled: Remove person to fresh air and kee center/doctor if you feel unwell. If in eyes: Rins Remove contact lenses, if present and easy to medical advice/attention. If on skin: Wash with medical advice/attention. Take off contaminate	lated area. Open doors and windows or use other and while product is drying. If you experience any tion or leave the area. Avoid breathing mist/vapors. tection/face protection. Wear protective gloves. p comfortable for breathing. Call a poison se cautiously with water for several minutes. do. Continue rinsing. If eye irritation persists: Get plenty of water. If skin irritation occurs: Get ed clothing and wash it before reuse.

None known.

When exposed to extreme heat or hot surfaces, vapors may decompose to toxic gases such as hydrogen fluoride.

## 3. Composition/information on ingredients

#### Mixtures

Chemical name	Common name and synonyms	CAS number	%
1,1,1,2-tetrafluoroethane	HFC-134A	811-97-2	45 - 55
1,1,2,2-tetrafluoro-1-(2,2,2-trifluoroe thoxy) ethane	HFE-347PCF2	406-78-0	45 - 55

Specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures	
Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison center or doctor/physician if you feel unwell.
Skin contact	Remove contaminated clothing. Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Wash contaminated clothing before reuse.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
Ingestion	In the unlikely event of swallowing contact a physician or poison control center. Rinse mouth.
Most important symptoms/effects, acute and delayed	May cause drowsiness or dizziness. Headache. Nausea, vomiting. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause respiratory irritation. Skin irritation. May cause redness and pain.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

## 5. Fire-fighting measures

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	Pressurized container may rupture when exposed to heat or flame. During fire, gases hazardous to health may be formed. When exposed to extreme heat or hot surfaces, vapors may decompose to toxic gases such as hydrogen fluoride.
Special protective equipment and precautions for firefighters	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.
Fire-fighting equipment/instructions	In case of fire: Stop leak if safe to do so. Move containers from fire area if you can do so without risk. Containers should be cooled with water to prevent vapor pressure build up.
General fire hazards	Contents under pressure. Pressurized container may rupture when exposed to heat or flame.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Many gases are heavier than air and will spread along ground and collect in low or confined areas (sewers, basements, tanks). Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist/vapors. Emergency personnel need self-contained breathing equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. The product is immiscible with water and will sediment in water systems. Stop the flow of material, if this is without risk. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.

## 7. Handling and storage

Precautions for safe handling	Pressurized container: Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not spray on a naked flame or any other incandescent material. Do not smoke while using or until sprayed surface is thoroughly dry. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. Use caution around energized equipment. The metal container will conduct electricity if it contacts a live source. This may result in injury to the user from electrical shock and/or flash fire. Avoid breathing mist/vapors. Avoid contact with eyes, skin, and clothing. Wash thoroughly after handling. Avoid prolonged exposure. Use only in well-ventilated areas. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. For product usage instructions, see the product label.
Conditions for safe storage, including any incompatibilities	Level 1 Aerosol.
	Contents under pressure. Do not expose to heat or store at temperatures above 120°F/49°C as can may burst. Do not puncture, incinerate or crush. Do not handle or store near an open flame, heat or other sources of ignition. Store in tightly closed container. Store in a well-ventilated place. Stored containers should be periodically checked for general condition and leakage. Store away from incompatible materials (see Section 10 of the SDS).

#### 8. Exposure controls/personal protection

#### **Occupational exposure limits**

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

U.S EPA Components	Туре	Value
1,1,2,2-tetrafluoro-1-(2,2,2-t rifluoroethoxy) ethane (CAS 406-78-0)	Ceiling Limit Value	150 ppm
Manufacturer OEL		
Components	Туре	Value
1,1,2,2-tetrafluoro-1-(2,2,2-t rifluoroethoxy) ethane (CAS 406-78-0)	TWA	50 ppm
US. Workplace Environmen	tal Exposure Level (WEEL) Guides	
Components	Туре	Value
1,1,1,2-tetrafluoroethane (CAS 811-97-2)	TWA	4240 mg/m3
		1000 ppm
Biological limit values	No biological exposure limits noted for the	e ingredient(s).
Appropriate engineering controls	Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station and safety shower.	
Individual protection measures,	such as personal protective equipment	
Eye/face protection	Wear safety glasses with side shields (or	goggles).
Skin protection		
Hand protection	Wear protective gloves such as: Nitrile. F	luoroelastomer.
Other	Wear appropriate chemical resistant clothing.	
Respiratory protection	If engineering controls are not feasible or if exposure exceeds the applicable exposure limits, use a NIOSH-approved cartridge respirator with an organic vapor cartridge. Use a self-contained breathing apparatus in confined spaces and for emergencies. Air monitoring is needed to determine actual employee exposure levels.	
Thermal hazards	Wear appropriate thermal protective cloth	ing, when necessary.
General hygiene considerations		ve good personal hygiene measures, such as washing ting, drinking, and/or smoking. Routinely wash work ove contaminants.

## 9. Physical and chemical properties

9. Physical and chemical	higherites
Appearance	
Physical state	Liquid.
Form	Aerosol.
Color	Colorless.
Odor	Ethereal.
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	-137.2 °F (-94 °C) estimated
Initial boiling point and boiling range	132.8 °F (56 °C) estimated
Flash point	None (Setaflash)
Evaporation rate	Very fast.
Flammability (solid, gas)	Not available.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not applicable.
Flammability limit - upper (%)	Not applicable.
Vapor pressure	3459 hPa estimated
Vapor density	Not available.
Relative density	1.36 estimated
Solubility(ies)	
Solubility (water)	Insoluble.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	1094 °F (590 °C) estimated
Decomposition temperature	Not available.
Viscosity	Not available.
Percent volatile	100 % estimated

## 10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Heat. Contact with incompatible materials. When exposed to extreme heat or hot surfaces, vapors may decompose to toxic gases such as hydrogen fluoride.
Incompatible materials	Strong oxidizing agents. Alkali metals. Alkaline earth metals.
Hazardous decomposition products	Halogenated materials. Hydrogen fluoride. Carbon oxides. Carbonyl halides.

## 11. Toxicological information


#### Information on likely routes of exposure

Inhalation	May cause drowsiness or dizziness. Headache. Nausea, vomiting. May cause irritation to the respiratory system. Prolonged inhalation may be harmful.
Skin contact	Causes skin irritation.
Eye contact	Causes serious eye irritation.
Ingestion	Based on available data, the classification criteria are not met.
Symptoms related to the physical, chemical and toxicological characteristics	May cause drowsiness or dizziness. Headache. Nausea, vomiting. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause respiratory irritation. Skin irritation. May cause redness and pain.

#### Information on toxicological effects

Acute toxicity	Not classified.
Skin corrosion/irritation	Causes skin irritation.
Serious eye damage/eye irritation	Causes serious eye irritation.
Respiratory or skin sensitization	I Construction of the second se
<b>Respiratory sensitization</b>	Not a respiratory sensitizer.
Skin sensitization	This product is not expected to cause skin sensitization.
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.
Carcinogenicity	Not classifiable as to carcinogenicity to humans.
IARC Monographs. Overall E	Evaluation of Carcinogenicity
Not listed.	d Substances (29 CFR 1910.1001-1053) ogram (NTP) Report on Carcinogens
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.
Specific target organ toxicity -	May cause respiratory irritation. May cause drowsiness or dizziness.
single exposure Specific target organ toxicity - repeated exposure	Not classified.
Aspiration hazard	Not an aspiration hazard.
Chronic effects	Prolonged inhalation may be harmful.
12. Ecological information	
Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.
Persistence and degradability	No data is available on the degradability of any ingredients in the mixture.
Bioaccumulative potential	No data available.
Partition coefficient n-octan 1,1,1,2-tetrafluoroethane 1,1,2,2-tetrafluoro-1-(2,2,2-trifl	1.68
Mobility in soil	No data available.
Other adverse effects	Not established.
13. Disposal consideration	ns
Disposal instructions	The dispensed liquid product is not a RCRA hazardous waste (See 40 CFR Part 261.20 - 261.33). Empty container can be recycled. Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Contents under pressure. Dispose in accordance with all applicable regulations.
Hazardous waste code	Not regulated.
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.
14. Transport information	
DOT	
UN number	UN1950
UN proper shipping name Transport hazard class(es)	Aerosols, non-flammable, Limited Quantity
Class	2.2
Subsidiary risk	- 2 2

Packaging bulk	None
ΙΑΤΑ	
UN number	UN1950
UN proper shipping name	Aerosols, non-flammable, Limited Quantity
Transport hazard class(es)	
Class	2.2
Subsidiary risk	-
Packing group	-
ERG Code	2L
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Other information	
Passenger and cargo aircraft	Allowed with restrictions.
Cargo aircraft only	Allowed with restrictions.
IMDG	
UN number	UN1950
UN proper shipping name	AEROSOLS, Limited Quantity
Transport hazard class(es)	
Class	2.2
Subsidiary risk	-
Packing group	-
Environmental hazards	
Marine pollutant	No.
EmS	F-D, S-U
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.



## 15. Regulatory information

**US federal regulations** 

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

#### TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

1,1,2,2-tetrafluoro-1-(2,2,2-trifluoroethoxy) ethane 1.0 % One-Time Export Notification only.

#### (CAS 406-78-0) SARA 304 Emergency release notification

#### Not regulated. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

#### CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

#### **CERCLA Hazardous Substances: Reportable quantity**

Not listed.

Spills or releases resulting in the loss of any ingredient at or above its RQ require immediate notification to the National Response Center (800-424-8802) and to your Local Emergency Planning Committee.

#### Other federal regulations

#### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

#### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act (SDWA)	Not regulated.
Food and Drug Administration (FDA)	Not regulated.

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

Classified hazard	Gas under pressure
categories	Skin corrosion or irritation
0	Serious eye damage or eye irritation
	Specific target organ toxicity (single or repeated exposure)

#### SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous Yes chemical

## SARA 313 (TRI reporting)

Not regulated.

#### US state regulations

## US. New Jersey Worker and Community Right-to-Know Act

Not listed.

#### US. Massachusetts RTK - Substance List

Not listed.

### US. Pennsylvania Worker and Community Right-to-Know Law

Not listed.

#### US. Rhode Island RTK

Not listed.

#### California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov.

#### Volatile organic compounds (VOC) regulations

#### EPA

VOC content (40 CFR 51.100(s))	0 %	
Consumer products (40 CFR 59, Subpt. C)	Not regulated	
State		
Consumer products	This product is regulated as an Electronic Cleaner. This product is compliant for use in all 50 states.	
VOC content (CA)	50.3 %	
VOC content (OTC)	0 %	
International Inventories		
Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	No
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No

Country(s) or region	Inventory name On ir	ventory (yes/no)*		
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes		
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No		
Europe	European List of Notified Chemical Substances (ELINCS)	No		
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No		
Korea	Existing Chemicals List (ECL)	Yes		
New Zealand	New Zealand Inventory	No		
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No		
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes		
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes		
*A "Yea" indicates that all components of this product comply with the inventory requirements administered by the governing country(a)				

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

## 16. Other information, including date of preparation or last revision

Issue date	07-07-2022
Prepared by	Danica Fulmer
Version #	01
Further information	CRC # 1753488
Disclaimer	The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. This information is accurate to the best of CRC's knowledge or obtained from sources believed by CRC to be accurate. Before using any product, read all warnings and directions on the label. For further clarification of any information contained on this (M)SDS consult your supervisor, a health & safety professional, or CRC Industries, Inc
<b>Revision information</b>	This document has undergone significant changes and should be reviewed in its entirety.