

## SAFETY DATA SHEET

### 1. Identification

Product identifier Duster™ Aerosol Dust Removal System - 8 oz

Other means of identification

Product Code No. 14085 (Item# 1004818)

Recommended use Pressurized gas duster

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufactured or sold by:

Company name CRC Industries, Inc.

Address 885 Louis Dr.

Warminster, PA 18974 US

**Telephone** 

 General Information
 215-674-4300

 Technical Assistance
 800-521-3168

 Customer Service
 800-272-4620

 24-Hour Emergency
 800-424-9300 (US)

(CHEMTREC)

Website www.crcindustries.com

2. Hazard(s) identification

Physical hazards Gases under pressure Liquefied gas

Health hazards Not classified.
Environmental hazards Not classified.
OSHA defined hazards Not classified.

Label elements



Signal word Warning

**Hazard statement** Contains gas under pressure; may explode if heated.

**Precautionary statement** 

**Prevention** Do not puncture or incinerate container. Do not expose to heat or store at temperatures above 49

°C/120 °F.

**Response** Wash hands after handling.

**Storage** Protect from sunlight. Store in a well-ventilated place. Exposure to high temperature may cause

can to burst. Do not place in direct sunlight or near any heat source.

**Disposal** Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information When exposed to extreme heat or hot surfaces, vapors may decompose to harmful or fatal

corrosive gases such as hydrogen fluoride.

### 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
1,1,1,2-tetrafluoroethane	HFC-134A	811-97-2	100

Specific chemical identity and/or percentage of composition has been withheld as a trade secret.

Material name: Duster™ Aerosol Dust Removal System - 8 oz
No. 14085 (Item# 1004818) Version #: 02 Revision date: 10-28-2021 Issue date: 01-05-2021

#### 4. First-aid measures

**Inhalation** If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give

oxygen. Do NOT give epinephrine (adrenaline). Get medical attention if symptoms persist.

**Skin contact** For liquid contact or direct spray effects, warm area gradually and get medical attention if there is

evidence of tissue damage. Flush area with plenty of water. Treat as frostbite.

Eye contact For liquid contact or direct spray effects, immediately flush with plenty of water for 15 minutes. Call

Direct contact with eyes may cause temporary irritation.

a physician if frostbite occurs.

**Ingestion** Do not induce vomiting. Call a physician immediately.

Most important symptoms/effects, acute and

symptoms/effects, acute and delayed

Indication of immediate Provide general supportive measures and treat symptomatically.

medical attention and special treatment needed

**General information** Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

### 5. Fire-fighting measures

Suitable extinguishing media Dry chemical powder. Carbon dioxide (CO2). Water. Use fire-extinguishing media appropriate for

surrounding materials.

None known.

Unsuitable extinguishing media

media Specific bezorde evicing from

Specific hazards arising from the chemical

Contents under pressure. During fire, gases hazardous to health may be formed. When exposed to extreme heat or hot surfaces, vapors may decompose to harmful or fatal corrosive gases such as hydrogen fluoride.

Special protective equipment and precautions for firefighters

Fire-fighting equipment/instructions

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

In case of fire: Stop leak if safe to do so. Move containers from fire area if you can do so without risk. Containers should be cooled with water to prevent vapor pressure build up.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate personal protective equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up

Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. Stop the flow of material, if this is without risk. Prevent entry into waterways, sewer, basements or confined areas. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

**Environmental precautions** 

Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

#### 7. Handling and storage

Precautions for safe handling

Pressurized container: Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not spray on a naked flame or any other incandescent material. Do not smoke while using or until sprayed surface is thoroughly dry. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. Use caution around energized equipment. The metal container will conduct electricity if it contacts a live source. This may result in injury to the user from electrical shock and/or flash fire. Avoid breathing gas. Avoid breathing mist or vapor. Vapors are heavier than air and may spread along floors. Avoid prolonged exposure. Use only in well-ventilated areas. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. For product usage instructions, see the product label.

Conditions for safe storage, including any incompatibilities

Level 1 Aerosol.

Contents under pressure. Do not expose to heat or store at temperatures above 120 °F/49 °C as can may burst. Do not puncture, incinerate or crush. Do not handle or store near an open flame, heat or other sources of ignition. Store in a well-ventilated place.

No. 14085 (Item# 1004818) Version #: 02 Revision date: 10-28-2021 Issue date: 01-05-2021 2 /

### 8. Exposure controls/personal protection

#### Occupational exposure limits

US. Workplace Environmental Exposure Level (WEEL) Guides

Components Type Value 1,1,1,2-tetrafluoroethane **TWA** 4240 mg/m3 (CAS 811-97-2) 1000 ppm

No biological exposure limits noted for the ingredient(s). **Biological limit values** 

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation. or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

**Hand protection** Wear protective gloves such as: Neoprene. Impervious gloves. Cold insulating gloves.

Wear suitable protective clothing. Other

Respiratory protection If engineering controls are not feasible or if exposure exceeds the applicable exposure limits, use a

> NIOSH-approved cartridge respirator with an organic vapor cartridge. Use a self-contained breathing apparatus in confined spaces and for emergencies. Air monitoring is needed to

determine actual employee exposure levels.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work

clothing and protective equipment to remove contaminants.

### 9. Physical and chemical properties

**Appearance** 

Liquid. Physical state **Form** Aerosol. Colorless. Color Ethereal. Odor Not available. **Odor threshold** pН Not available. -149.8 °F (-101 °C) Melting point/freezing point

Initial boiling point and boiling

-15.5 °F (-26.4 °C)

range

None (ASTM E681) Flash point

**Evaporation rate** Very fast. Not available. Flammability (solid, gas) Upper/lower flammability or explosive limits

Flammability limit - lower

Not applicable.

(%)

Flammability limit - upper

(%)

Not applicable.

Vapor pressure 6652.8 hPa estimated

3.5 (air = 1)Vapor density Relative density 1.24

Solubility(ies)

0.95 % Solubility (water) **Partition coefficient** Not available.

(n-octanol/water)

**Auto-ignition temperature** > 1369.4 °F (> 743 °C)

Material name: Duster™ Aerosol Dust Removal System - 8 oz

Decomposition temperature694.4 °F (368 °C)ViscosityNot available.Percent volatile100 % estimated

Other information

**Partition coefficient** 

(oil/water)

1.68

### 10. Stability and reactivity

**Reactivity**The product is stable and non-reactive under normal conditions of use, storage and transport.

**Chemical stability** Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

**Conditions to avoid** Heat, flames and sparks. Contact with incompatible materials.

Incompatible materials Strong oxidizing agents. Alkali metals. Alkaline earth metals. Powdered metal. Aluminum.

Magnesium. Zinc.

Hazardous decomposition

products

Hydrogen fluoride. Carbonyl fluoride. Carbon oxides.

### 11. Toxicological information

#### Information on likely routes of exposure

Inhalation Inhalation of dispersed gas is not expected to cause negative effects. Inhalation of concentrated

vapor may product anesthetic effects and feeling of euphoria. Prolonged exposure can cause rapid breathing, headache, dizziness, narcosis, and unconsciousness. Deliberately inhaling this product can lead to death from asphyxiation depending on concentration and time of exposure.

Skin contact Contact with dispersed gas is not expected to cause negative effects. Contact with direct spray

can cause frostbite, irritation and dermatitis.

Eye contact Contact with dispersed gas is not expected to cause negative effects. Contact with direct spray

can cause severe irritation, redness, tearing, blurred vision, and possible freeze burns.

Ingestion Ingestion of liquid product may cause frostbite to mouth and throat. Liquid product may pose

aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

Contact with dispersed gas is not expected to cause negative effects.

# Information on toxicological effects

Acute toxicity None known.

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation. Contact with direct spray can cause

frostbite, irritation and dermatitis.

Serious eye damage/eye

irritation

Direct contact with eyes may cause temporary irritation. Contact with direct spray can cause

severe irritation, redness, tearing, blurred vision, and possible freeze burns.

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

**Skin sensitization** This product is not expected to cause skin sensitization.

**Germ cell mutagenicity**No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

**Carcinogenicity** Not classifiable as to carcinogenicity to humans.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

**Reproductive toxicity**This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity - Not classified.

repeated exposure

Material name: Duster™ Aerosol Dust Removal System - 8 oz

No. 14085 (Item# 1004818) Version #: 02 Revision date: 10-28-2021 Issue date: 01-05-2021

Liquid product may pose aspiration hazard. **Aspiration hazard** 

Chronic effects Prolonged inhalation may be harmful.

### 12. Ecological information

The product is not classified as environmentally hazardous. However, this does not exclude the **Ecotoxicity** 

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Persistence and degradability No data is available on the degradability of this product.

No data available. Bioaccumulative potential Partition coefficient n-octanol / water (log Kow)

1,1,1,2-tetrafluoroethane 1.68

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

#### 13. Disposal considerations

**Disposal instructions** This product, in its present state, when discarded or disposed of, is not a hazardous waste

according to Federal regulations (40 CFR 261.4 (b)(4)). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the product meets RCRA criteria for hazardous waste. Consult authorities before disposal. Contents under pressure. Do not puncture, incinerate or crush. Dispose in accordance with all applicable regulations.

Hazardous waste code

Empty containers should be taken to an approved waste handling site for recycling or disposal. Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

### 14. Transport information

DOT

UN1950 **UN** number

**UN** proper shipping name Aerosols, non-flammable, Limited Quantity

Transport hazard class(es)

Class 2.2 Subsidiary risk Label(s) 2.2 **Packing group** 

Special precautions for user Inside containers comply with DOT-SP 10232.

Read safety instructions, SDS and emergency procedures before handling.

306 Packaging exceptions Packaging non bulk None Packaging bulk None

**IATA** 

UN1950 **UN number** 

**UN proper shipping name** Aerosols, non-flammable, Limited Quantity

Transport hazard class(es)

2.2 Class Subsidiary risk Packing group **ERG Code** 2L

Other information

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Passenger and cargo

aircraft

Allowed with restrictions.

Cargo aircraft only Allowed with restrictions.

**IMDG** 

**UN** number UN1950

UN proper shipping name

Transport hazard class(es)

AEROSOLS, Limited Quantity


Class 2.2 Subsidiary risk Packing group

Material name: Duster™ Aerosol Dust Removal System - 8 oz

**Environmental hazards** 

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

DOT; IMDG



## 15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

**CERCLA Hazardous Substances: Reportable quantity** 

Not listed.

Spills or releases resulting in the loss of any ingredient at or above its RQ require immediate notification to the National Response Center (800-424-8802) and to your Local Emergency Planning Committee.

#### Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Not regulated.

(SDWA)

Food and Drug Not regulated.

Administration (FDA)

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous No (Exempt)

chemical

Material name: Duster™ Aerosol Dust Removal System - 8 oz

No. 14085 (Item# 1004818) Version #: 02 Revision date: 10-28-2021 Issue date: 01-05-2021

### SARA 313 (TRI reporting)

Not regulated.

#### **US** state regulations

#### US. New Jersey Worker and Community Right-to-Know Act

Not listed.

#### **US. Massachusetts RTK - Substance List**

Not listed.

### US. Pennsylvania Worker and Community Right-to-Know Law

Not listed.

#### **US. Rhode Island RTK**

Not listed.

#### California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov.

#### Volatile organic compounds (VOC) regulations

#### **EPA**

VOC content (40 CFR

51.100(s))

0 %

**Consumer products** (40 CFR 59, Subpt. C) Not regulated

State

In California, this product is restricted to energized equipment use only. It is not regulated in other **Consumer products** 

states.

0 % VOC content (CA) 0 % VOC content (OTC)

#### International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes

Europe European List of Notified Chemical Substances (ELINCS) No Japan Inventory of Existing and New Chemical Substances (ENCS) Yes Korea Existing Chemicals List (ECL) Yes New Zealand New Zealand Inventory Yes **Philippines** Philippine Inventory of Chemicals and Chemical Substances Yes

(PICCS)

Taiwan Taiwan Chemical Substance Inventory (TCSI) Yes United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory Yes

# 16. Other information, including date of preparation or last revision

01-05-2021 Issue date 10-28-2021 **Revision date** Prepared by Allison Yoon

Version # 02

**Further information** CRC # 282/1002335

Material name: Duster™ Aerosol Dust Removal System - 8 oz

7/8 No. 14085 (Item# 1004818) Version #: 02 Revision date: 10-28-2021 Issue date: 01-05-2021

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

## **Disclaimer** The information contained in this document applies to this specific material as supplied. It may not

be valid for this material if it is used in combination with any other materials. This information is accurate to the best of CRC's knowledge or obtained from sources believed by CRC to be accurate. Before using any product, read all warnings and directions on the label. For further clarification of any information contained on this (M)SDS consult your supervisor, a health & safety

professional, or CRC Industries, Inc..

**Revision information**Hazard(s) identification: Prevention
Hazard(s) identification: Storage

Physical & Chemical Properties: Multiple Properties

Transport Information: Proper Shipping Name/Packing Group

SDS US

No. 14085 (Item# 1004818) Version #: 02 Revision date: 10-28-2021 Issue date: 01-05-2021