

SAFETY DATA SHEET

1. Identification

Product identifier	Equa-Torque® Differential Friction Modifier	
Other means of identification		
Product code	No. SL2411 (Item# 1007797)	
Recommended use	Differential friction modifier	
Recommended restrictions	None known.	
Manufacturer/Importer/Supplier/	Distributor information	
Manufactured or sold by:		
Company name	CRC Industries, Inc.	
Address	885 Louis Dr.	
	Warminster, PA 18974 US	
Telephone		
General Information	215-674-4300	
Technical Assistance	800-521-3168	
Customer Service	800-272-4620	
24-Hour Emergency	800-424-9300 (US)	
(CHEMTREC)	703-527-3887 (International)	
Website	www.crcindustries.com	
2. Hazard(s) identificatio	n	
Physical hazards	Not classified.	
Health hazards	Not classified.	
Environmental hazards	Hazardous to the aquatic environment, acute hazard	Category 3
	Hazardous to the aquatic environment, long-term hazard	Category 3

	long-term hazard
OSHA defined hazards	Not classified.
Label elements	
Hazard symbol	None.
Signal word	None.
Hazard statement	Harmful to aquatic life with long lasting effects.
Precautionary statement	
Prevention	Use with adequate ventilation. Open doors and windows or use other means to ensure a fresh air supply during use and while product is drying. Avoid release to the environment.
Response	Wash hands after handling.
Storage	Store away from incompatible materials.
Disposal	Dispose of contents/container in accordance with local/regional/national regulations.
Hazard(s) not otherwise classified (HNOC)	None known.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
distillates (petroleum), hydrotreated heavy naphthenic		64742-52-5	60 - 70
alkylamine salt of alkyl phosphoric acid		Proprietary	30 - 40
methanol		67-56-1	< 0.2

Specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation	If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. Call a physician if symptoms develop or persist.
Skin contact	Rinse skin with water/shower. Get medical attention if irritation develops and persists.
Eye contact	Rinse with water. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. If ingestion of a large amount does occur, call a poison control center immediately.
Most important symptoms/effects, acute and delayed	Direct contact with eyes may cause temporary irritation.
Indication of immediate medical attention and special treatment needed	Treat symptomatically.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media Unsuitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire-fighting equipment/instructions	Move containers from fire area if you can do so without risk.
General fire hazards	No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
Environmental precautions	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground. Inform appropriate managerial or supervisory personnel of all environmental releases.
7. Handling and storage	

Precautions for safe handling	Provide adequate ventilation. Wear appropriate personal protective equipment. Wash hands
	thoroughly after handling. Observe good industrial hygiene practices. Avoid release to the
	environment. Use care in handling/storage. For product usage instructions, see the product label.
Conditions for safe storage, including any incompatibilities	Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

Components	Туре	Value	Form
distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	PEL	5 mg/m3	Mist.
,		2000 mg/m3	
		500 ppm	
methanol (CAS 67-56-1)	PEL	260 mg/m3	

Components		Туре		00)	Value	Form
					200 ppm	
US. ACGIH Threshold Lim	it Values					
Components		Туре			Value	Form
distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)		TWA			5 mg/m3	Inhalable fraction.
methanol (CAS 67-56-1)		STEL			250 ppm	
		TWA			200 ppm	
US. NIOSH: Pocket Guide	to Chemical H	azards				
Components		Туре			Value	Form
distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)		Ceiling			1800 mg/m3	
		STEL			10 mg/m3	Mist.
		TWA			5 mg/m3	Mist.
methanol (CAS 67-56-1)		STEL			325 mg/m3 250 ppm	
		TWA			260 mg/m3	
					200 ppm	
ACGIH Biological Exposu		Determ		Curacius	Complian	Time
Components	Value		minant	Specimer		Time
Components methanol (CAS 67-56-1)	Value 15 mg/l	Metha		Specimer Urine	n Sampling *	Time
Components methanol (CAS 67-56-1) * - For sampling details, plea	Value 15 mg/l	Metha		-		Time
Components methanol (CAS 67-56-1) * - For sampling details, plea posure guidelines	Value 15 mg/l ase see the sou	Metha		-		Time
Components methanol (CAS 67-56-1) * - For sampling details, plea oosure guidelines US - California OELs: Skin	Value 15 mg/l ase see the sou designation	Metha	nol	Urine	*	Time
Components methanol (CAS 67-56-1) * - For sampling details, plea posure guidelines	Value 15 mg/l ase see the sou designation	Metha urce document.	nol	Urine		Time
Components methanol (CAS 67-56-1) * - For sampling details, plea oosure guidelines US - California OELs: Skin methanol (CAS 67-56-1	Value 15 mg/l ase see the sou designation) Skin designat	Metha urce document.	nol Can be	Urine	rough the skin.	Time
Components methanol (CAS 67-56-1) * - For sampling details, plea oosure guidelines US - California OELs: Skin methanol (CAS 67-56-1 US - Minnesota Haz Subs:	Value 15 mg/l ase see the sound designation) Skin designat	Methan urce document. tion applies	nol Can be	Urine absorbed th	rough the skin.	Time
Components methanol (CAS 67-56-1) * - For sampling details, plea osure guidelines US - California OELs: Skin methanol (CAS 67-56-1 US - Minnesota Haz Subs: methanol (CAS 67-56-1	Value 15 mg/l ase see the sound designation () Skin designation () in designation ()	Metha urce document. tion applies	nol Can be Skin de	Urine absorbed th	rough the skin.	Time
Components methanol (CAS 67-56-1) * - For sampling details, plea oosure guidelines US - California OELs: Skin methanol (CAS 67-56-1 US - Minnesota Haz Subs: methanol (CAS 67-56-1 US - Tennessee OELs: Ski methanol (CAS 67-56-1	Value 15 mg/l ase see the sound to designation () Skin designation () to values: Skin () ()	Methan urce document. tion applies designation	nol Can be Skin de Can be Can be	Urine absorbed th signation ap absorbed th	rough the skin.	Time
Components methanol (CAS 67-56-1) * - For sampling details, plea osure guidelines US - California OELs: Skin methanol (CAS 67-56-1 US - Minnesota Haz Subs: methanol (CAS 67-56-1 US - Tennessee OELs: Skin methanol (CAS 67-56-1 US ACGIH Threshold Limi methanol (CAS 67-56-1	Value 15 mg/l ase see the sound t designation Skin designation Skin designation () t Values: Skin () o Chemical Ha ()	Methan urce document. tion applies designation zards: Skin des	nol Can be Skin de Can be ignation Can be	Urine absorbed th esignation ap absorbed th absorbed th absorbed th	rough the skin. plies. rough the skin. rough the skin.	
Components methanol (CAS 67-56-1) * - For sampling details, plea osure guidelines US - California OELs: Skin methanol (CAS 67-56-1 US - Minnesota Haz Subs: methanol (CAS 67-56-1 US - Tennessee OELs: Skin methanol (CAS 67-56-1 US ACGIH Threshold Limi methanol (CAS 67-56-1 US NIOSH Pocket Guide to	Value 15 mg/l ase see the sou designation b Skin designation b Skin designation b Values: Skin b Chemical Ha b Good gene should be n or other eng	Methan urce document. tion applies designation zards: Skin des ral ventilation (typ natched to conditi gineering controls	nol Can be Skin de Can be ignation Can be pically 10 a tions. If app s to maintai	Urine absorbed th esignation ap absorbed th absorbed th ir changes p plicable, use in airborne le	* rough the skin. plies. rough the skin. rough the skin. er hour) should t process enclosu	be used. Ventilation rates res, local exhaust ventilatic
Components methanol (CAS 67-56-1) * - For sampling details, plea oosure guidelines US - California OELs: Skin methanol (CAS 67-56-1 US - Minnesota Haz Subs: methanol (CAS 67-56-1 US - Tennessee OELs: Skin methanol (CAS 67-56-1 US ACGIH Threshold Limi methanol (CAS 67-56-1 US NIOSH Pocket Guide to methanol (CAS 67-56-1 Oropriate engineering	Value 15 mg/l ase see the sou designation Skin designation Skin designation Values: Skin Chemical Ha Good gene should be n or other eng exposure lin s, such as person	Methan urce document. tion applies designation zards: Skin des ral ventilation (typ natched to conditi gineering controls mits have not bee	nol Can be Skin de Can be ignation Can be pically 10 a tions. If app s to maintai en establish e equipmer	Urine absorbed th esignation ap absorbed th absorbed th absorbed th ir changes p blicable, use in airborne le ned, maintair nt	* rough the skin. plies. rough the skin. rough the skin. er hour) should t process enclosu	be used. Ventilation rates res, local exhaust ventilatio mmended exposure limits.
Components methanol (CAS 67-56-1) * - For sampling details, plea oosure guidelines US - California OELs: Skin methanol (CAS 67-56-1 US - Minnesota Haz Subs: methanol (CAS 67-56-1 US - Tennessee OELs: Skin methanol (CAS 67-56-1 US ACGIH Threshold Limi methanol (CAS 67-56-1 US NIOSH Pocket Guide to methanol (CAS 67-56-1 Oropriate engineering strols	Value 15 mg/l ase see the sou designation Skin designation Skin designation Values: Skin Chemical Ha Good gene should be n or other eng exposure lin s, such as person	Methan urce document. tion applies designation zards: Skin des ral ventilation (typ natched to condit gineering controls mits have not bee sonal protective	nol Can be Skin de Can be ignation Can be pically 10 a tions. If app s to maintai en establish e equipmer	Urine absorbed th esignation ap absorbed th absorbed th absorbed th ir changes p blicable, use in airborne le ned, maintair nt	* rough the skin. plies. rough the skin. rough the skin. er hour) should t process enclosu	be used. Ventilation rates res, local exhaust ventilatio mmended exposure limits.
Components methanol (CAS 67-56-1) * - For sampling details, plea oosure guidelines US - California OELs: Skin methanol (CAS 67-56-1 US - Minnesota Haz Subs: methanol (CAS 67-56-1 US - Tennessee OELs: Skin methanol (CAS 67-56-1 US ACGIH Threshold Limi methanol (CAS 67-56-1 US NIOSH Pocket Guide to methanol (CAS 67-56-1 Oropriate engineering strols	Value 15 mg/l ase see the sou designation Skin designation Skin designation t Values: Skin Chemical Ha Good gene should be n or other eng exposure lin s, such as per- Wear safety	Methan urce document. tion applies designation zards: Skin des ral ventilation (typ natched to condit gineering controls mits have not bee sonal protective	nol Can be Skin de Can be ignation Can be ignations. If app s to maintai en establish e equipmer de shields (n	Urine Urine absorbed th absorbed th absorbed th absorbed th ir changes p blicable, use in airborne le ned, maintair nt or goggles).	* rough the skin. plies. rough the skin. rough the skin. er hour) should t process enclosu	be used. Ventilation rates res, local exhaust ventilatio mmended exposure limits.
Components methanol (CAS 67-56-1) * - For sampling details, plea oosure guidelines US - California OELs: Skin methanol (CAS 67-56-1 US - Minnesota Haz Subs: methanol (CAS 67-56-1 US - Tennessee OELs: Skin methanol (CAS 67-56-1 US ACGIH Threshold Limi methanol (CAS 67-56-1 US NIOSH Pocket Guide to methanol (CAS 67-56-1 Oropriate engineering strols ividual protection measures Eye/face protection Skin protection	Value 15 mg/l ase see the sou designation Skin designation Skin designation Chemical Ha Contemical H	Methan urce document. tion applies designation zards: Skin des ral ventilation (typ natched to condit gineering controls mits have not bee sonal protective y glasses with sic	Can be Skin de Can be Can be ignation Can be pically 10 a tions. If app s to maintai en establish e equipmer de shields (in mas: Nitrile.	Urine Urine absorbed th absorbed th absorbed th absorbed th ir changes p blicable, use in airborne le ned, maintair nt or goggles).	* rough the skin. plies. rough the skin. rough the skin. er hour) should t process enclosu	be used. Ventilation rates res, local exhaust ventilatio mmended exposure limits.
Components methanol (CAS 67-56-1) * - For sampling details, plea posure guidelines US - California OELs: Skin methanol (CAS 67-56-1 US - Minnesota Haz Subs: methanol (CAS 67-56-1 US - Tennessee OELs: Skin methanol (CAS 67-56-1 US ACGIH Threshold Limi methanol (CAS 67-56-1 US NIOSH Pocket Guide to methanol (CAS 67-56-1 Skin protection measures Eye/face protection Kin protection Hand protection	Value 15 mg/l ase see the sou designation by Skin designation by Skin designation by t Values: Skin by Chemical Ha by Good gene should be ri or other eng exposure lin s, such as pers Wear safety Wear prote Wear suitat If engineeri NIOSH-app breathing a	Methan urce document. tion applies designation zards: Skin des ral ventilation (typ natched to condit gineering controls mits have not bee sonal protective y glasses with sic ctive gloves such ble protective clor ng controls are n proved cartridge r	Can be Skin de Can be Can be ignation Can be pically 10 a tions. If app s to maintai en establish e equipmer de shields (n as: Nitrile. thing. ot feasible respirator w ned spaces	Urine Urine absorbed th absorbed th absorbed th absorbed th ir changes p blicable, use in airborne le ned, maintair nt or goggles). or if exposur ith an organis and for eme	* arough the skin. plies. arough the skin. arough the skin. arough the skin. arough the skin. er hour) should the process enclosu evels below recommon airborne levels airborne levels airborne cartridge	be used. Ventilation rates res, local exhaust ventilatio mmended exposure limits.

9. Physical and chemical properties

-	
Appearance	
Physical state	Liquid.
Form	Liquid.
Color	Amber.
Odor	Mild petroleum.
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	55.4 °F (13 °C) estimated
Initial boiling point and boiling range	680 °F (360 °C) estimated
Flash point	309.2 °F (154 °C) Pensky-Martens Closed Cup
Evaporation rate	Slow.
Flammability (solid, gas)	Not available.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	7.3 % estimated
Flammability limit - upper (%)	36 % estimated
Vapor pressure	3.9 hPa estimated
Vapor density	Not available.
Relative density	0.9 - 0.93
Solubility (water)	Insoluble.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	500 °F (260 °C) estimated
Decomposition temperature	Not available.
Viscosity (kinematic)	35 mm²/s
Viscosity temperature	104 °F (40 °C)
Percent volatile	60.1 % estimated
Other information	
Pour point	5 °F (-15 °C)
10. Stability and reactivity	ty
Reactivity	The product is stable and non-reactive under normal conditions of u

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	Carbon oxides. Oxides of phosphorus. Phosphorus compounds.

11. Toxicological information

Information on likely routes of exposure

Inhalation	Prolonged inhalation may be harmful.
Skin contact	Prolonged skin contact may cause temporary irritation.
Eye contact	Direct contact with eyes may cause temporary irritation.
Ingestion	Health injuries are not known or expected under normal use.

Symptoms related to the physical, chemical and toxicological characteristics

Information on toxicological effects

Acute toxicity

Components	Species	Test Results
distillates (petroleum), hydrotreat	ed heavy naphthenic (CAS 64742-	52-5)
Acute		
Dermal		
LD50	Rabbit	> 2000 mg/kg
Oral		
LD50	Rat	> 5000 mg/kg
* Estimates for product may	be based on additional componer	nt data not shown.
Skin corrosion/irritation	Prolonged skin contact may cause temporary irritation.	
Serious eye damage/eye irritation	Direct contact with eyes may c	ause temporary irritation.
Respiratory sensitization	Not a respiratory sensitizer.	
Skin sensitization	This product is not expected to cause skin sensitization.	
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.	
Carcinogenicity	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.	
IARC Monographs. Overall	Evaluation of Carcinogenicity	
Not listed.		
	ed Substances (29 CFR 1910.10	01-1050)
Not regulated.	rogram (NTP) Report on Carcino	aana
Not listed.	rogram (NTP) Report on Carcino	gens
Reproductive toxicity	This product is not expected to	cause reproductive or developmental effects.
Specific target organ toxicity -	Not classified.	
single exposure	Not classifica.	
Specific target organ toxicity - repeated exposure	Not classified.	
Aspiration hazard	Not an aspiration hazard.	

otoxicity	Harmful to	o aquatic life with long lasting effects.	
Components		Species	Test Results
alkylamine salt of alky	l phosphoric acid		
Aquatic			
Acute			
Crustacea	EC50	Water flea (Daphnia magna)	91 mg/l, 48 hours
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	> 1000 mg/l, 96 hours
distillates (petroleum),	hydrotreated heav	y naphthenic (CAS 64742-52-5)	
Aquatic			
Crustacea	EC50	Water flea (Daphnia magna)	1000 mg/l, 48 hours
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	5000 mg/l, 96 hours
methanol (CAS 67-56-	-1)		
Aquatic			
Crustacea	EC50	Water flea (Daphnia magna)	> 10000 mg/l, 48 hours

Components	Species		Test Results
Fish	LC50 Fathead m	innow (Pimephales promelas)	> 100 mg/l, 96 hours
* Estimates for product may	be based on additional com	oonent data not shown.	
Persistence and degradability	No data is available on th	e degradability of this product.	
Bioaccumulative potential			
Partition coefficient n-octa methanol	nol / water (log Kow)	-0.77	
Mobility in soil	No data available.		
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.		
13. Disposal considera	tions		
Disposal of waste from residues / unused products	containers may be recycle disposal site. Do not allow	d. Collect and reclaim or dispo this material to drain into sew	FR Part 261.20 – 261.33). Empty ose in sealed containers at licensed waste ers/water supplies. Do not contaminate ainer. Dispose in accordance with all
Hazardous waste code	Not regulated.		
Contaminated packaging	Since emptied containers	may retain product residue, fo	llow label warnings even after container is

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

emptied. Empty containers should be taken to an approved waste handling site for recycling or

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

disposal.

Not regulated.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

US EPCRA (SARA Title III) Section 313 - Toxic Chemical: Listed substance

Not listed.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

CERCLA Hazardous Substances: Reportable quantity

Not listed.

Spills or releases resulting in the loss of any ingredient at or above its RQ require immediate notification to the National Response Center (800-424-8802) and to your Local Emergency Planning Committee.

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act (SDWA)	Not regulated.
Food and Drug Administration (FDA)	Not regulated.

Superfund Amendments and Section 311/312 Hazard categories	d Reauthorization Act of 1986 (SARA) Immediate Hazard - No Delayed Hazard - No Fire Hazard - No	
	Pressure Hazard - No	
SARA 302 Extremely	Reactivity Hazard - No No	
hazardous substance		
US state regulations		
US. California. Candidate Ch (a))	nemicals List. Safer Consumer Products Regulations (Cal. Code Regs	, tit. 22, 69502.3, subd.
methanol (CAS 67-56-1)	drotreated heavy naphthenic (CAS 64742-52-5)	
-	Community Right-to-Know Act	
methanol (CAS 67-56-1) US. Massachusetts RTK - Su	ubetanco List	
methanol (CAS 67-56-1)		
	Id Community Right-to-Know Law	
methanol (CAS 67-56-1)		
US. Rhode Island RTK		
methanol (CAS 67-56-1)	drotreated heavy naphthenic (CAS 64742-52-5)	
US. California Proposition 6 WARNING: This product of harm.	5 contains a chemical known to the State of California to cause birth defects	or other reproductive
methanol (CAS 67-56 US - California Proposit	ion 65 - CRT: Listed date/Male reproductive toxin	
cyanide (CAS 57-12-		
Volatile organic compounds (VO EPA		
VOC content (40 CFR 51.100(s))	Not determined	
Consumer products (40 CFR 59, Subpt. C)	Not regulated	
State	Not regulated	
Consumer products	Not regulated	
VOC content (CA)	< 65 %	
VOC content (OTC)	< 65 %	
International Inventories		.
Country(s) or region Australia	Inventory name	On inventory (yes/no)*
Canada	Australian Inventory of Chemical Substances (AICS) Domestic Substances List (DSL)	Yes Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical	No
	Substances (EINECS)	
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico *A "Yes" indicates that all compor	Toxic Substances Control Act (TSCA) Inventory ents of this product comply with the inventory requirements administered by the go	Yes verning country(s)

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date 05	5-21-2015
Revision date 08	8-22-2017
Prepared by Al	llison Yoon
Version # 02	2
Further information C	RC # 753/1002769
FI	ealth: 1 Iammability: 1 hysical hazard: 0 ersonal protection: B
FI	ealth: 1 Iammability: 1 Istability: 0
NFPA ratings	
be ac ac cli	he information contained in this document applies to this specific material as supplied. It may not e valid for this material if it is used in combination with any other materials. This information is ccurate to the best of CRC's knowledge or obtained from sources believed by CRC to be ccurate. Before using any product, read all warnings and directions on the label. For further arification of any information contained on this (M)SDS consult your supervisor, a health & safety rofessional, or CRC Industries, Inc
Revision Information	his document has undergone significant changes and should be reviewed in its entirety.