

# SAFETY DATA SHEET

# 1. Identification

Product identifier	Synthetic Brake & Caliper Grease - 12 oz
Other means of identification	
Product Code	No. SL3303 (Item# 1007902)
Recommended use	Lubricating grease for brakes
<b>Recommended restrictions</b>	None known.
Manufacturer/Importer/Supplier/	/Distributor information
Manufactured or sold by:	
Company name	CRC Industries, Inc.
Address	885 Louis Dr.
	Warminster, PA 18974 US
Telephone	
General Information	215-674-4300
Technical Assistance	800-521-3168
Customer Service	800-272-4620
24-Hour Emergency (CHEMTREC)	800-424-9300 (US)
Website	www.crcindustries.com
2. Hazard(s) identification	
Physical hazards	Not classified.
Health hazards	Not classified.
Environmental hazards	Not classified.
OSHA defined hazards	Not classified.
Label elements	
Hazard symbol	None.
Signal word	None.
Hazard statement	The mixture does not meet the criteria for classification.
Precautionary statement	
Prevention	Use with adequate ventilation. Open doors and windows or use other means to ensure a fresh air supply during use and while product is drying. Observe good industrial hygiene practices.
Response	Wash hands after handling.
Storage	Store away from incompatible materials.
Disposal	Dispose of contents/container in accordance with local/regional/national regulations.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	When exposed to extreme heat or hot surfaces, vapors may decompose to harmful or fatal

corrosive gases such as hydrogen fluoride.

# 3. Composition/information on ingredients

**Mixtures** 

Chemical name	Common name and synonyms	CAS number	%
polypropylene glycol monobutyl ether		9003-13-8	75 - 85
graphite		7782-42-5	5 - 10
amorphous fumed silica		112945-52-5	3 - 8
molybdenum disulphide		1317-33-5	1 - 5
polytetrafluoroethylene		9002-84-0	1 - 5

Specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures			
Inhalation	If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing Call a physician if symptoms develop or persist.		
Skin contact	Rinse skin with water/shower. Get medical attention if irritation develops and persists.		
Eye contact	Rinse with water. Get medical attention if irritation develops and persists.		
Ingestion	Call a POISON CENTER or doctor/physician. Do not induce vomiting. Keep victim warm.		
Most important symptoms/effects, acute and delayed	Direct contact with eyes may cause temporary irritation.		
Indication of immediate medical attention and special treatment needed	Treat symptomatically.		
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.		
5. Fire-fighting measures			
Suitable extinguishing media	Water fog. Foam. Dry chemicals. Carbon dioxide (CO2).		
Unsuitable extinguishing media	None known.		
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed. When exposed to extreme heat or hot surfaces, vapors may decompose to harmful or fatal corrosive gases such as hydrogen fluoride.		
Special protective equipment and precautions for firefighters	Treat as oil fire. Wear self-contained breathing apparatus and protective clothing.		
General fire hazards	No unusual fire or explosion hazards noted.		
6. Accidental release mea	sures		
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Remove all possible sources of ignition in the surrounding area. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. For personal protection, see section 8 of the SDS.		
Methods and materials for containment and cleaning up	This product is miscible in water. Stop the flow of material, if this is without risk. Following product recovery, flush area with water. Prevent entry into waterways, sewer, basements or confined areas. For waste disposal, see section 13 of the SDS. Sweep up and shovel into suitable containers for disposal. Residual liquid can be absorbed with inert material.		
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.		
7. Handling and storage			
Precautions for safe handling	Avoid breathing vapors. Avoid contact with eyes. Avoid prolonged or repeated contact with skin. Provide adequate ventilation. Observe good industrial hygiene practices. For product usage instructions, see the product label.		
Conditions for safe storage, including any incompatibilities	Store in original tightly closed container. Store in a cool, dry place out of direct sunlight. Store at ambient temperature and atmospheric pressure. Store away from incompatible materials (see Section 10 of the SDS).		

# **Occupational exposure limits**

US. OSHA Table Z-1 Limits for Ai Components	Туре	Value	Form
graphite (CAS 7782-42-5)	PEL	5 mg/m3	Respirable fraction
		15 mg/m3	Total dust.
molybdenum disulphide (CAS 1317-33-5)	PEL	15 mg/m3	Total dust.
US. OSHA Table Z-3 (29 CFR 191	0.1000)		
Components	Туре	Value	
amorphous fumed silica (CAS 112945-52-5)	TWA	0.8 mg/m3	
		20 mppcf	

US. OSHA Table Z-3 (29 CF Components	Туре	Value	
graphite (CAS 7782-42-5)	TWA	15 mppcf	
US. ACGIH Threshold Limi Components	t Values Type	Value	Form
graphite (CAS 7782-42-5)	TWA	2 mg/m3	Respirable fraction.
molybdenum disulphide (CAS 1317-33-5)	TWA	3 mg/m3	Respirable fraction.
		10 mg/m3	Inhalable fraction.
US. NIOSH: Pocket Guide t	o Chemical Hazards		
Components	Туре	Value	Form
amorphous fumed silica (CAS 112945-52-5)	TWA	6 mg/m3	
graphite (CAS 7782-42-5)	TWA	2.5 mg/m3	Respirable.
ological limit values	No biological exposure limits noted f	or the ingredient(s).	
propriate engineering ntrols	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation or other engineering controls to maintain airborne levels below recommended exposure limits. exposure limits have not been established, maintain airborne levels to an acceptable level.		
lividual protection measures	, such as personal protective equipn	nent	·
Eye/face protection	Wear safety glasses with side shield	s (or goggles).	
Skin protection Hand protection	Wear protective gloves such as: Neo	oprene. Nitrile.	
Other	Wear suitable protective clothing.		
Respiratory protection	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Air monitoring is needed to determine actual employee exposure levels.		
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.		
neral hygiene nsiderations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.		

# 9. Physical and chemical properties

Appearance	
Physical state	Solid.
Form	Grease.
Color	Black.
Odor	Mild.
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	> 550 °F (> 287.8 °C) estimated
Initial boiling point and boiling range	842 °F (450 °C) estimated
Flash point	450 °F (232.2 °C) Cleveland Open Cup
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.

Vapor pressure	48261 hPa estimated
Vapor density	Not available.
Relative density	0.89
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	845.6 °F (452 °C) estimated
Decomposition temperature	Not available.
Viscosity	Not available.
Percent volatile	Not available.

# 10. Stability and reactivity

Reactivity Chemical stability	The product is stable and non-reactive under normal conditions of use, storage and transport. Material is stable under normal conditions.		
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.		
Conditions to avoid	Heat, flames and sparks. Avoid temperatures exceeding the decomposition temperature. When exposed to extreme heat or hot surfaces, vapors may decompose to harmful or fatal corrosive gases such as hydrogen fluoride. Contact with incompatible materials.		
Incompatible materials	Fluorine. Chlorine. Strong oxidizing agents.		
Hazardous decomposition products	Hydrogen fluoride. Carbonyl fluoride. Perfluoroisobutylene. Carbon oxides. Halogenated compounds. Metal oxides.		

# 11. Toxicological information

### Information on likely routes of exposure

Inhalation	Prolonged inhalation may be harmful.		
Skin contact	Prolonged skin contact may cause temporary irritation.		
Eye contact	Direct contact with eyes may cause temporary irritation.		
Ingestion	Ingestion of large amounts may produce gastrointestinal disturbances including irritation, nausea, and diarrhea.		
Symptoms related to the physical, chemical and	Direct contact with eyes may cause temporary irritation.		

physical, chemical and toxicological characteristics

Acute toxicity

# Information on toxicological effects

Expected to be a low hazard for usual industrial or commercial handling by trained personnel.

		<b>3</b> , <b>1</b>	
Product	Species	Test Results	
Synthetic Brake & Caliper	Grease - 12 oz		
Acute			
Inhalation			
Dust			
ATEmix		56 mg/l	
Oral			
ATEmix		50000 mg/kg	
Components	Species	Test Results	
amorphous fumed silica (	CAS 112945-52-5)		
Acute			
Oral			
LD50	Rat	> 5000 mg/kg	
polytetrafluoroethylene (C	AS 9002-84-0)		
Acute			
Oral			
LD50	Rat	> 10000 mg/kg	

Skin corrosion/irritation	Prolonged skin contact may cause temporary irritation.		
Serious eye damage/eye	Direct contact with eyes may cause temporary irritation.		
irritation			
Respiratory or skin sensitization			
Respiratory sensitization	Not a respiratory sensitizer.		
Skin sensitization	This product is not expected to cause skin sensitization.		
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.		
Carcinogenicity	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.		
IARC Monographs. Overall E	valuation of Carcinogenicity		
amorphous fumed silica (C polytetrafluoroethylene (C OSHA Specifically Regulated			
Not listed. <b>US. National Toxicology Pro</b> g Not listed.	gram (NTP) Report on Carcinogens		
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.		
Specific target organ toxicity - single exposure	Not classified.		
Specific target organ toxicity - repeated exposure	Not classified.		
Aspiration hazard	Not likely, due to the form of the product.		
Further information	This product has no known adverse effect on human health.		
12. Ecological information			
Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.		
Persistence and degradability	No data is available on the degradability of any ingredients in the mixture.		
Bioaccumulative potential			
Mobility in soil	No data available.		
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.		
13. Disposal consideration	IS		
Disposal instructions	This product, in its present state, when discarded or disposed of, is not a hazardous waste according to Federal regulations (40 CFR 261.4 (b)(4)). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the product meets RCRA criteria for hazardous waste. Empty container can be recycled. Dispose in accordance with all applicable regulations.		
Hazardous waste code	Not regulated.		
	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.		

Not regulated as dangerous goods.

# IATA

Not regulated as dangerous goods.

# IMDG

Not regulated as dangerous goods.

# 15. Regulatory information

**US** federal regulations

This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

### SARA 304 Emergency release notification

Not regulated.

#### OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

#### CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

#### **CERCLA Hazardous Substances: Reportable quantity**

Not listed.

Spills or releases resulting in the loss of any ingredient at or above its RQ require immediate notification to the National Response Center (800-424-8802) and to your Local Emergency Planning Committee.

#### Other federal regulations

#### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

#### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act<br/>(SDWA)Not regulated.Food and Drug<br/>Administration (FDA)Not regulated.

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

#### SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous No chemical

#### SARA 313 (TRI reporting)

Not regulated.

#### **US state regulations**

#### US. New Jersey Worker and Community Right-to-Know Act

graphite (CAS 7782-42-5)

# US. Massachusetts RTK - Substance List

amorphous fumed silica (CAS 112945-52-5) graphite (CAS 7782-42-5) molybdenum disulphide (CAS 1317-33-5)

#### US. Pennsylvania Worker and Community Right-to-Know Law

amorphous fumed silica (CAS 112945-52-5) graphite (CAS 7782-42-5) polytetrafluoroethylene (CAS 9002-84-0)

## US. Rhode Island RTK

graphite (CAS 7782-42-5) polytetrafluoroethylene (CAS 9002-84-0)

#### **California Proposition 65**

California Safe Drinking Water and Toxic Enforcement Act of 2016 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

# Volatile organic compounds (VOC) regulations

# EPA

VOC content (40 CFR 51.100(s))	0 %
Consumer products (40 CFR 59, Subpt. C)	Not regulated
State	
Consumer products	Not regulated
VOC content (CA)	0 %
VOC content (OTC)	0 %

### International Inventories

Country(s) or region	Inventory name On inventor	y (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes
** ***		

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

# 16. Other information, including date of preparation or last revision

Issue date	04-27-2020
Prepared by	Dustin Kern
Version #	01
Disclaimer	The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. This information is accurate to the best of CRC's knowledge or obtained from sources believed by CRC to be accurate. Before using any product, read all warnings and directions on the label. For further clarification of any information contained on this (M)SDS consult your supervisor, a health & safety professional, or CRC Industries, Inc
Revision information	This document has undergone significant changes and should be reviewed in its entirety.