

SAFETY DATA SHEET

1. Identification

1. Identification	
Product identifier	TrueTap® HD Cutting Fluid - 55 gal
Other means of identification	
Product Code	No. 03403 (Item# 1003505)
Recommended use	Cutting fluid
Recommended restrictions	None known.
Manufacturer/Importer/Supplier/	Distributor information
Manufactured or sold by:	
Company name	CRC Industries, Inc.
Address	885 Louis Dr.
	Warminster, PA 18974 US
Telephone	
General Information	215-674-4300
Technical Assistance	800-521-3168
Customer Service	800-272-4620
24-Hour Emergency (CHEMTREC)	800-424-9300 (US)
Website	www.crcindustries.com
2. Hazard(s) identification	I
Physical hazards	Not classified.
Health hazards	Not classified.
Environmental hazards	Hazardous to the aquatic environment, acute Category 3 hazard
	Hazardous to the aquatic environment, Category 3 Iong-term hazard
OSHA defined hazards	Not classified.
Label elements	
Hazard symbol	None.
Signal word	None.
Hazard statement	Harmful to aquatic life. Harmful to aquatic life with long lasting effects.
Precautionary statement	
Prevention	Use with adequate ventilation. Open doors and windows or use other means to ensure a fresh air supply during use and while product is drying. Avoid release to the environment.
Response	Wash hands after handling.
Storage	Store away from incompatible materials.
Disposal	Dispose of contents/container in accordance with local/regional/national regulations.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
chlorinated paraffins		63449-39-8	50 - 60
distillates (petroleum), hydrotreated light naphthenic		64742-53-6	1 - 3
methyl salicylate		119-36-8	1 - 3

Specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures	
Inhalation	If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. If breathing stops, provide artificial respiration. Call a physician if symptoms develop or persist.
Skin contact	Remove contaminated clothing. Wash off with soap and water. Get medical attention if irritation develops and persists. Wash contaminated clothing before reuse.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention if irritation develops and persists.
Ingestion	Do not induce vomiting without advice from poison control center. Call a physician or poison control center immediately.
Most important symptoms/effects, acute and delayed	May cause skin irritation. May cause eye irritation.
Indication of immediate medical attention and special treatment needed	Treat symptomatically.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.
Fire-fighting equipment/instructions	Cool containers exposed to heat with water spray and remove container, if no risk is involved. Prevent fire extinguishing water from contaminating surface water or the ground water system.
General fire hazards	No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	In the event of a spill or accidental release, notify relevant authorities in accordance with all applicable regulations.
	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
Environmental precautions	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground. Inform appropriate managerial or supervisory personnel of all environmental releases.
7. Handling and storage	
Precautions for safe handling	Provide adequate ventilation. Avoid prolonged exposure. Avoid breathing dust/fume/gas/mist/vapors/spray. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. Wash hands thoroughly after handling. Avoid release to the environment. Use care in handling/storage. For product usage instructions, see the product label.
Conditions for safe storage, including any incompatibilities	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat and flame. Do not store container below 40 °F. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Components	Туре	Value	Form
distillates (petroleum), hydrotreated light naphthenic (CAS 64742-53-6)	PEL	5 mg/m3	Mist.
		2000 mg/m3	
		500 ppm	
US. ACGIH Threshold Lim	iit Values		
Components	Туре	Value	Form
distillates (petroleum), hydrotreated light naphthenic (CAS 64742-53-6)	TWA	5 mg/m3	Inhalable fraction.
US. NIOSH: Pocket Guide	to Chemical Hazards		
Components	Туре	Value	Form
distillates (petroleum), hydrotreated light naphthenic (CAS 64742-53-6)	Ceiling	1800 mg/m3	
	STEL	10 mg/m3	Mist.
ological limit values	No biological exposure limits noted fo	r the ingredient(s).	
opropriate engineering ontrols	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower should be available when handling this product.		ures, local exhaust ventilation, ommended exposure limits. If s to an acceptable level. Eye
dividual protection measure	s, such as personal protective equipm	ent	
Eye/face protection	Wear safety glasses with side shields	(or goggles).	
Skin protection Hand protection	Wear protective gloves such as: Nitril	e. Viton®.	
Other	Wear suitable protective clothing.		
Respiratory protection	If engineering controls are not feasibl NIOSH-approved cartridge respirator breathing apparatus in confined spac determine actual employee exposure	with an organic vapor cartridges and for emergencies. Air n	ge. Use a self-contained
Thermal hazards	Wear appropriate thermal protective of	clothing, when necessary.	
eneral hygiene onsiderations	Avoid contact with skin. Avoid contac personal hygiene measures, such as drinking, and/or smoking. Routinely v contaminants.	washing after handling the ma	aterial and before eating,

9. Physical and chemical properties

Appearance

Physical stateLiquid.FormLiquid.ColorAmber.OdorWintergreen.Odor thresholdNot available.pHNot available.Melting point/freezing pointNot available.Initial boiling point and boiling> 450 °F (> 232.2 °C) at 760 mmHg	Appearance	
ColorAmber.OdorWintergreen.Odor thresholdNot available.pHNot available.Melting point/freezing pointNot available.Initial boiling point and boiling> 450 °F (> 232.2 °C) at 760 mmHg	Physical state	Liquid.
OdorWintergreen.Odor thresholdNot available.pHNot available.Melting point/freezing pointNot available.Initial boiling point and boiling> 450 °F (> 232.2 °C) at 760 mmHg	Form	Liquid.
Odor thresholdNot available.pHNot available.Melting point/freezing pointNot available.Initial boiling point and boiling> 450 °F (> 232.2 °C) at 760 mmHg	Color	Amber.
pHNot available.Melting point/freezing pointNot available.Initial boiling point and boiling> 450 °F (> 232.2 °C) at 760 mmHg	Odor	Wintergreen.
Melting point/freezing pointNot available.Initial boiling point and boiling> 450 °F (> 232.2 °C) at 760 mmHg	Odor threshold	Not available.
Initial boiling point and boiling> 450 °F (> 232.2 °C) at 760 mmHg	рН	Not available.
	Melting point/freezing point	Not available.
	01 0	> 450 °F (> 232.2 °C) at 760 mmHg

Flash point	> 415 °F (> 212.8 °C) Pensky-Martens Closed Cup
Evaporation rate	Slow.
Flammability (solid, gas)	Not available.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Vapor pressure	< 1 mm Hg at 20 °C
Vapor density	< 1 (air = 1)
Relative density	1.11
Solubility(ies)	
Solubility (water)	Negligible.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	500 °F (260 °C) estimated
Decomposition temperature	Not available.
Viscosity	Not available.
Percent volatile	Not available.

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Oxidizing agents. Strong acids. Strong bases.
Hazardous decomposition products	Hydrocarbon fumes and smoke. Carbon oxides.

11. Toxicological information

Information on likely routes of exposure

Inhalation	Prolonged inhalation may be harmful. Prolonged or excessive inhalation may cause respiratory tract irritation.
Skin contact	Prolonged skin contact may cause temporary irritation.
Eye contact	Direct contact with eyes may cause temporary irritation.
Ingestion	Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.
Symptoms related to the physical, chemical and toxicological characteristics	Direct contact with eyes may cause temporary irritation.

Information on toxicological effects

Acute toxicity

Components	Species	Test Results
distillates (petroleum), hydro	otreated light naphthenic (CAS 64742-53	-6)
Acute		
Dermal		
LD50	Rabbit	> 5000 mg/kg
Inhalation		
LC50	Rat	2180 mg/m³, 4 hours
Oral		
LD50	Rat	> 5000 mg/kg

	Species	Test Results	
methyl salicylate (CAS 119-36-8)			
<u>Acute</u>			
Oral			
LD50	Rat	0.887 g/kg	
* Estimates for product may b	e based on additional component	data not shown.	
Skin corrosion/irritation	Prolonged skin contact may ca	use temporary irritation.	
Serious eye damage/eye irritation	Direct contact with eyes may ca	use temporary irritation.	
Respiratory or skin sensitizatior	า		
Respiratory sensitization	Not a respiratory sensitizer.		
Skin sensitization	This product is not expected to	cause skin sensitization.	
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.		
Carcinogenicity	This product is not considered t	o be a carcinogen by IARC, ACGIH, NTP, or OSHA.	
IARC Monographs. Overall	Evaluation of Carcinogenicity		
Not listed. OSHA Specifically Regulate Not listed.	d Substances (29 CFR 1910.10)1-1053)	
	ogram (NTP) Report on Carcino	gens	
Reproductive toxicity	This product is not expected to	cause reproductive or developmental effects.	
Specific target organ toxicity - single exposure	Not classified.		
Specific target organ toxicity - repeated exposure	Not classified.		
Aspiration hazard	Not an aspiration hazard.		
Chronic effects	Prolonged inhalation may be ha	rmful. Prolonged exposure may cause chronic effects.	
12. Ecological information	n		
Ecotoxicity	Harmful to aquatic life with long	lasting effects.	
Components	Species	Test Results	
oompononto			
chlorinated paraffins (CAS 63	449-39-8)		
chlorinated paraffins (CAS 63 Aquatic	449-39-8) LC50 Bluegill (Lepomi	s macrochirus) > 0.1 mg/l, 96 hours	
chlorinated paraffins (CAS 63 Aquatic Fish	LC50 Bluegill (Lepom		
chlorinated paraffins (CAS 63 Aquatic Fish * Estimates for product may b	LC50 Bluegill (Lepomi	data not shown.	
chlorinated paraffins (CAS 63 Aquatic Fish * Estimates for product may b Persistence and degradability	LC50 Bluegill (Lepom	data not shown.	
chlorinated paraffins (CAS 63 Aquatic Fish * Estimates for product may b Persistence and degradability Bioaccumulative potential	LC50 Bluegill (Lepom e based on additional component No data is available on the deg	data not shown.	
chlorinated paraffins (CAS 63 Aquatic Fish * Estimates for product may b Persistence and degradability	LC50 Bluegill (Lepom e based on additional component No data is available on the deg	data not shown.	
chlorinated paraffins (CAS 63 Aquatic Fish * Estimates for product may b Persistence and degradability Bioaccumulative potential Partition coefficient n-octan methyl salicylate	LC50 Bluegill (Lepom e based on additional component No data is available on the deg	data not shown. radability of this product.	
chlorinated paraffins (CAS 63 Aquatic Fish * Estimates for product may b Persistence and degradability Bioaccumulative potential Partition coefficient n-octan methyl salicylate Mobility in soil	LC50 Bluegill (Lepomi e based on additional component No data is available on the deg nol / water (log Kow) No data available. No other adverse environmenta	data not shown. radability of this product.	
chlorinated paraffins (CAS 63 Aquatic Fish * Estimates for product may b Persistence and degradability Bioaccumulative potential Partition coefficient n-octan methyl salicylate	LC50 Bluegill (Lepom e based on additional component No data is available on the deg nol / water (log Kow) No data available. No other adverse environmenta potential, endocrine disruption,	data not shown. radability of this product. 2.55 Il effects (e.g. ozone depletion, photochemical ozone creation	
chlorinated paraffins (CAS 63 Aquatic Fish * Estimates for product may b Persistence and degradability Bioaccumulative potential Partition coefficient n-octan methyl salicylate Mobility in soil Other adverse effects	LC50 Bluegill (Lepomi e based on additional component No data is available on the deg nol / water (log Kow) No data available. No other adverse environmenta potential, endocrine disruption, Ins This product is not a RCRA haz containers may be recycled. Co	data not shown. radability of this product. 2.55 Il effects (e.g. ozone depletion, photochemical ozone creation global warming potential) are expected from this component.	
chlorinated paraffins (CAS 63 Aquatic Fish * Estimates for product may b Persistence and degradability Bioaccumulative potential Partition coefficient n-octan methyl salicylate Mobility in soil Other adverse effects 13. Disposal consideratio	LC50 Bluegill (Lepomi e based on additional component No data is available on the deg nol / water (log Kow) No data available. No other adverse environmenta potential, endocrine disruption, Ins This product is not a RCRA haz containers may be recycled. Co	data not shown. radability of this product. 2.55 Il effects (e.g. ozone depletion, photochemical ozone creation global warming potential) are expected from this component.	

14. Transport information

DOT

Not regulated as dangerous goods.

ΙΑΤΑ

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

15. Regulatory information

US federal regulations

This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

CERCLA Hazardous Substances: Reportable quantity

Not listed.

Spills or releases resulting in the loss of any ingredient at or above its RQ require immediate notification to the National Response Center (800-424-8802) and to your Local Emergency Planning Committee.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Not regulated.

(SDWA) Food and Drug Not regulated. Administration (FDA)

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous No chemical

SARA 313 (TRI reporting)

Not regulated.

US state regulations

- US. New Jersey Worker and Community Right-to-Know Act Not listed.
- US. Massachusetts RTK Substance List
- distillates (petroleum), hydrotreated light naphthenic (CAS 64742-53-6)

US. Pennsylvania Worker and Community Right-to-Know Law

methyl salicylate (CAS 119-36-8)

US. Rhode Island RTK

distillates (petroleum), hydrotreated light naphthenic (CAS 64742-53-6) methyl salicylate (CAS 119-36-8)

California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 2016 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

chlorinated paraffins (CAS 63449-39-8)

distillates (petroleum)), hydrotreated light naphthenic (CAS 64742-53-6)	
Volatile organic compounds (VO	C) regulations	
EPA		
VOC content (40 CFR 51.100(s))	Not determined	
Consumer products (40 CFR 59, Subpt. C)	Not regulated	
State		
Consumer products	This product is regulated as a Cutting or Tapping Oil (non-aerosol). This product is compliant for use in all 50 states. *Local restriction: This product cannot be used in the South Coast Air Quality Management District of California.	
VOC content (CA)	0.4 %	
VOC content (OTC)	0.4 %	
International Inventories		
Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes
	ents of this product comply with the inventory requirements administered by components of the product are not listed or exempt from listing on the invent	

"A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date Prepared by Version #	07-10-2019 Dustin Kern 01
Disclaimer	CRC Industries, Inc. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. This information is accurate to the best of CRC's knowledge or obtained from sources believed by CRC to be accurate. Before using any product, read all warnings and directions on the label. For further clarification of any information contained on this (M)SDS consult your supervisor, a health & safety professional, or CRC Industries, Inc
Revision information	This document has undergone significant changes and should be reviewed in its entirety.