

# SAFETY DATA SHEET

### 1. Identification

Product identifier	Pro-Strength Degreaser - 12 oz		
Other means of identification			
Product Code	No. 06482 (Item# 1003939)		
Recommended use	General purpose degreaser		
Recommended restrictions	None known.		
Manufacturer/Importer/Supplier	Distributor information		
Manufactured or sold by:			
Company name	CRC Industries, Inc.		
Address	885 Louis Dr.		
	Warminster, PA 18974 US		
Telephone			
General Information	215-674-4300		
Technical Assistance	800-521-3168		
Customer Service	800-272-4620		
24-Hour Emergency (CHEMTREC)	800-424-9300 (US)		
Website	www.crcindustries.com		
2. Hazard(s) identification	I		
Physical hazards	Gases under pressure	Liquefied gas	
Health hazards	Serious eye damage/eye irritation	Category 2A	
Environmental hazards	Hazardous to the aquatic environment, acute hazard	Category 3	
OSHA defined hazards	Not classified.		
Label elements			
Signal word	Warning		
Hazard statement	Contains gas under pressure; may explode if heated. Causes serious eye irritation.		
Precautionary statement	<u> </u>	-	
<b>_</b>			

Prevention	Do not puncture or incinerate container. Do not expose to heat or store at temperatures above 49 °C/120 °F. Use with adequate ventilation. Open doors and windows or use other means to ensure a fresh air supply during use and while product is drying. If you experience any symptoms listed on this label, increase ventilation or leave the area. Wash thoroughly after handling. Wear eye protection/face protection.
Response	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Storage	Protect from sunlight. Store in a well-ventilated place. Exposure to high temperature may cause can to burst.
Disposal	Dispose of contents/container in accordance with local/regional/national regulations.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	When exposed to extreme heat or hot surfaces, vapors may decompose to harmful or fatal corrosive gases such as hydrogen chloride and possibly phosgene.

## 3. Composition/information on ingredients

#### Mixtures

Chemical name	Common name and synonyms	CAS number	%
water		7732-18-5	70 - 80
2-butoxyethanol		111-76-2	3 - 5
C9-11 alcohols ethoxylated		68439-46-3	3 - 5
quaternary coco alkylamine ethoxylate		61791-10-4	1 - 3

Specific chemical identity and/or percentage of composition has been withheld as a trade secret.

#### 4. First-aid measures Inhalation Move to fresh air. Call a physician if symptoms develop or persist. Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists. Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if Eye contact present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. In the unlikely event of swallowing contact a physician or poison control center. Rinse mouth. Ingestion Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred Most important vision. symptoms/effects, acute and delayed Indication of immediate Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed. medical attention and special treatment needed **General information** Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. 5. Fire-fighting measures Suitable extinguishing media Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Unsuitable extinguishing None known. media Specific hazards arising from Pressurized container may rupture when exposed to heat or flame. When exposed to extreme heat or hot surfaces, vapors may decompose to harmful or fatal corrosive gases such as hydrogen the chemical chloride and possibly phosgene. During fire, gases hazardous to health may be formed. Self-contained breathing apparatus and full protective clothing must be worn in case of fire. Special protective equipment and precautions for firefighters **Fire-fighting** In case of fire: Stop leak if safe to do so. Move containers from fire area if you can do so without equipment/instructions risk. Containers should be cooled with water to prevent vapor pressure build up. Cool containers exposed to flames with water until well after the fire is out.

#### 6. Accidental release measures

Specific methods General fire hazards

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Many gases are heavier than air and will spread along ground and collect in low or confined areas (sewers, basements, tanks). Wear appropriate protective equipment and clothing during clean-up. Emergency personnel need self-contained breathing equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. This product is miscible in water. Prevent product from entering drains. Stop the flow of material, if this is without risk. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

Cool containers exposed to flames with water until well after the fire is out.

Contents under pressure. Pressurized container may rupture when exposed to heat or flame.

### 7. Handling and storage

Precautions for safe handling	Pressurized container: Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not spray on a naked flame or any other incandescent material. Do not smoke while using or until sprayed surface is thoroughly dry. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. Use caution around energized equipment. The metal container will conduct electricity if it contacts a live source. This may result in injury to the user from electrical shock and/or flash fire. Do not get in eyes, on skin, or on clothing. Avoid prolonged exposure. Use only in well-ventilated areas. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices. For product usage instructions, see the product label.
Conditions for safe storage, including any incompatibilities	Level 1 Aerosol.
	Contents under pressure. Do not expose to heat or store at temperatures above 120°F/49°C as can may burst. Do not puncture, incinerate or crush. Do not handle or store near an open flame, heat or other sources of ignition. Store in tightly closed container. Store in a well-ventilated place. Stored containers should be periodically checked for general condition and leakage. Store away from incompatible materials (see Section 10 of the SDS).

### 8. Exposure controls/personal protection

Components	Тур	e	Val	ue
2-butoxyethanol (CAS 111-76-2)	PEL		240	) mg/m3
			50	ppm
US. ACGIH Threshold Li Components	mit Values Type	e	Val	ue
2-butoxyethanol (CAS 111-76-2)	TWA	A	20	ppm
US. NIOSH: Pocket Guid	le to Chemical Hazards			
Components	Тур	9	Val	ue
2-butoxyethanol (CAS 111-76-2)	TWA	A	24	mg/m3
			5 p	pm
ological limit values				
ACGIH Biological Expos				
Components	Value	Determinant	Specimen	Sampling Time
2-butoxyethanol (CAS 111-76-2)	200 mg/g	Butoxyacetic acid (BAA), with hydrolysis	Creatinine in urine	*
* - For sampling details, p	lease see the source doo			
posure guidelines				
US - California OELs: SI	kin designation			
2-butoxyethanol (CAS			be absorbed throug	gh the skin.
2-butoxyethanol (CAS US - Tennessee OELs: S	,	Skin	designation applies	5.
2-butoxyethanol (CAS US NIOSH Pocket Guide			be absorbed throug	gh the skin.
2-butoxyethanol (CAS US. OSHA Table Z-1 Lim			be absorbed throug I <b>000)</b>	gh the skin.
2-butoxyethanol (CAS	S 111-76-2)	Can	be absorbed throug	gh the skin.
propriate engineering ntrols	should be matched or other engineerin	I to conditions. If a g controls to mair	applicable, use proc Itain airborne levels	our) should be used. Ventilation rates cess enclosures, local exhaust ventilatio below recommended exposure limits. I borne levels to an acceptable level. Prov

Individual protection measures, such as personal protective equipment	
Eye/face protection	Wear safety glasses with side shields (or goggles).
Skin protection Hand protection	Wear protective gloves such as: Neoprene. Nitrile.
Other	Wear appropriate chemical resistant clothing.
Respiratory protection	If engineering controls are not feasible or if exposure exceeds the applicable exposure limits, use a NIOSH-approved cartridge respirator with an organic vapor cartridge. Use a self-contained breathing apparatus in confined spaces and for emergencies. Air monitoring is needed to determine actual employee exposure levels.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
General hygiene considerations	When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

### 9. Physical and chemical properties

Appearance	
Physical state	Liquid.
Form	Aerosol.
Color	Light yellow.
Odor	Mild.
Odor threshold	Not available.
рН	9.9
Melting point/freezing point	-102.6 °F (-74.8 °C) estimated
Initial boiling point and boiling range	212 °F (100 °C) estimated
Flash point	None.
Evaporation rate	Slow.
Flammability (solid, gas)	Not available.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	2.6 % estimated
Flammability limit - upper (%)	12.6 % estimated
Vapor pressure	271 hPa estimated
Vapor density	Not available.
Relative density	1 estimated
Solubility(ies)	
Solubility (water)	Soluble.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	302 °F (150 °C) estimated
Decomposition temperature	Not available.
Viscosity	Not available.
Percent volatile	88.5 % estimated

### 10. Stability and reactivity

-	
Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. When exposed to extreme heat or hot surfaces, vapors may decompose to harmful or fatal corrosive gases such as hydrogen chloride and possibly phosgene. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.

### 11. Toxicological information

Information on likely routes of e	xposure
Inhalation	Prolonged inhalation may be harmful.
Skin contact	2-Butoxy ethanol may be absorbed through the skin in toxic amounts if contact is repeated and prolonged. These effects have not been observed in humans.
Eye contact	Causes serious eye irritation.
Ingestion	Expected to be a low ingestion hazard.
Symptoms related to the physical, chemical and toxicological characteristics	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.

#### Information on toxicological effects

Acute toxicity	Not known.	
Components	Species	Test Results
2-butoxyethanol (CAS 111-76-2)		
Acute		
Dermal		
LD50	Rabbit	220 mg/kg
Oral	Pat	470 mg/kg
LD50	Rat	470 mg/kg
C9-11 alcohols ethoxylated (CAS Acute	00439-40-3)	
Dermal		
LD50	Rabbit	5000 mg/kg
Oral		
LD50	Rat	1378 mg/kg
quaternary coco alkylamine ethoxy	ylate (CAS 61791-10-4)	
Acute		
Oral		
LD50	Rat	580 mg/kg
Skin corrosion/irritation	Prolonged skin contact may cause temporary irritation	on.
Serious eye damage/eye irritation	Causes serious eye irritation.	
Respiratory or skin sensitization	1	
Respiratory sensitization	Not a respiratory sensitizer.	
Skin sensitization	This product is not expected to cause skin sensitization.	
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.	
Carcinogenicity	Not classifiable as to carcinogenicity to humans.	
IARC Monographs. Overall	Evaluation of Carcinogenicity	
2-butoxyethanol (CAS 11 OSHA Specifically Regulate	1-76-2) 3 Not classifiable as d Substances (29 CFR 1910.1001-1053)	to carcinogenicity to humans.
Not listed. US. National Toxicology Pro Not listed.	ogram (NTP) Report on Carcinogens	
Reproductive toxicity	This product is not expected to cause reproductive of	or developmental effects.
Specific target organ toxicity - single exposure	Not classified.	
Specific target organ toxicity - repeated exposure	Not classified.	

Aspiration hazard	Not an aspiration hazard.
Chronic effects	Prolonged inhalation may be harmful. May be harmful if absorbed through skin.


2-Butoxy ethanol may be absorbed through the skin in toxic amounts if contact is repeated and prolonged. These effects have not been observed in humans.

12. Ecological information	n				
Ecotoxicity	Harmful to aq	uatic life.			
Components		Species	Test Results		
2-butoxyethanol (CAS 111-76	-2)				
Aquatic					
Fish	LC50	Inland silverside (Menidia beryllina)	1250 mg/l, 96 hours		
C9-11 alcohols ethoxylated (C	CAS 68439-46-3				
Aquatic					
Acute					
Crustacea	EC50	Daphnia	1 - 10 mg/l, 48 hours		
Fish	LC50	Fish	1 - 10 mg/l, 96 hours		
quaternary coco alkylamine et	thoxylate (CAS	61791-10-4)			
Aquatic					
Acute					
Fish	LC50	Trout family (Salmonidae)	24 mg/l, 96 hours		
Persistence and degradability	No data is av	ailable on the degradability of any ingred	lients in the mixture.		
Bioaccumulative potential					
Partition coefficient n-octan	ol / water (log	Kow)			
2-butoxyethanol		0.83			
Mobility in soil	No data avail	able.			
Other adverse effects		erse environmental effects (e.g. ozone de			
	potential, end	ocrine disruption, global warming potent	al) are expected from this component.		
13. Disposal consideratio	ns				
Disposal instructions	The dispense	d liquid product is not a RCRA hazardou	s waste (See 40 CFR Part 261.20 - 261.33)		
	Empty container can be recycled. Consult authorities before disposal. Contents under press Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds,				
		ditches with chemical or used container.			
		/ith local/regional/national regulations.			
Hazardous waste code	Not regulated.				
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal.				
Since emptied containers may retain product residue, follow labe emptied.			follow label warnings even after container is		
	-				
14. Transport information					
DOT					
UN number	UN1950				
UN proper shipping name Transport hazard class(es)	Aerosols, nor	-flammable, Limited Quantity			
Class	2.2				
Subsidiary risk	-				
Packing group	Not applicable	2.			
	r Read safety instructions, SDS and emergency procedures before handling.				
Packaging exceptions	306	306			
Packaging non bulk	None				
Packaging bulk Other information	None				
Passenger and cargo	Allowed with	restrictions			
aircraft	Allowed with restrictions.				
Cargo aircraft only	Allowed with	restrictions.			

#### ΙΑΤΑ

UN number	UN1950	
UN proper shipping name	Aerosols, non-flammable, Limited Quantity	
Transport hazard class(es)		
Class	2.2	
Subsidiary risk	-	
Packing group	Not applicable.	
ERG Code	2L	
Special precautions for user Other information	Read safety instructions, SDS and emergency procedures before handling.	
Passenger and cargo aircraft	Allowed with restrictions.	
Cargo aircraft only	Allowed with restrictions.	
IMDG		
UN number	UN1950	
UN proper shipping name	AEROSOLS, Limited Quantity	
Transport hazard class(es)		
Class	2.2	
Subsidiary risk	-	
Packing group	Not applicable.	
Environmental hazards		
Marine pollutant	No.	
EmS	Not available.	
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.	





### 15. Regulatory information

**US federal regulations** 

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

#### TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

#### SARA 304 Emergency release notification

Not regulated.

#### OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

### US EPCRA (SARA Title III) Section 313 - Toxic Chemical: Listed substance

2-butoxyethanol (CAS 111-76-2)

#### CERCLA Hazardous Substance List (40 CFR 302.4)

2-butoxyethanol (CAS 111-76-2)

#### **CERCLA Hazardous Substances: Reportable quantity**

Not listed.

Spills or releases resulting in the loss of any ingredient at or above its RQ require immediate notification to the National Response Center (800-424-8802) and to your Local Emergency Planning Committee.

### Other federal regulations

Other federal regulations				
Clean Air Act (CAA) Section	112 Hazardous Air Poll	lutants (HAPs) List		
Not regulated. Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)				
Not regulated.				
Safe Drinking Water Act (SDWA)	Not regulated.			
Food and Drug Administration (FDA)	Not regulated.			
Superfund Amendments and Re	authorization Act of 198	86 (SARA)		
Classified hazard categories	Gas under pressure Serious eye damage or	eye irritation		
SARA 302 Extremely hazard	lous substance			
Not listed.				
SARA 311/312 Hazardous chemical	Yes			
SARA 313 (TRI reporting)				
Chemical name		CAS number	% by wt.	
2-butoxyethanol		111-76-2	3 - 5	
US state regulations				
US. New Jersey Worker and	Community Right-to-K	now Act		
2-butoxyethanol (CAS 11 US. Massachusetts RTK - S				
2-butoxyethanol (CAS 11 US. Pennsylvania Worker ar	,	Know Law		
2-butoxyethanol (CAS 11 US. Rhode Island RTK	1-76-2)			
Not listed.				
California Proposition 65				
California Safe Drinking Water and Toxic Enforcement Act of 2016 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov.				
US. California. Candida subd. (a))	te Chemicals List. Safer	Consumer Products	Regulations (Cal. Code F	Regs, tit. 22, 69502.3,
2-butoxyethanol (CA	S 111-76-2)			
Volatile organic compounds (VOC) regulations EPA				
VOC content (40 CFR 51.100(s))	9.7 %			
Consumer products (40 CFR 59, Subpt. C)	Not regulated			
State				
Consumer products	This product is regulate use in all 50 states.	ed as a General Purpos	e Degreaser (aerosol). Thi	s product is compliant for
VOC content (CA)	9.7 %			
VOC content (OTC)	9.7 %			
International Inventories				
Country(s) or region	Inventory name			On inventory (yes/no)*
Australia	Australian Inventory of	Chemical Substances (	(AICS)	Yes

Country(s) or region	Inventory name On inv	entory (yes/no)*
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes
*A "Maa" indicates that all some	nexts of this product comply with the inventory requirements administered by the governing of	· · · · · · · · · · · · · · · · · · ·

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

### 16. Other information, including date of preparation or last revision

	-
Issue date	03-05-2020
Prepared by	Allison Yoon
Version #	01
Further information	CRC # 692A/1002737
Disclaimer	The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. This information is accurate to the best of CRC's knowledge or obtained from sources believed by CRC to be accurate. Before using any product, read all warnings and directions on the label. For further clarification of any information contained on this (M)SDS consult your supervisor, a health & safety professional, or CRC Industries, Inc
Revision information	Product and Company Identification: Product and Company Identification Hazard(s) identification: Hazard statement Hazard(s) identification: Prevention Composition / Information on Ingredients: Ingredients Exposure controls/personal protection: Hand protection Physical & Chemical Properties: Multiple Properties Toxicological Information: Toxicological Data Disposal considerations: Disposal instructions Transport Information: Material Transportation Information GHS: Classification