

SAFETY DATA SHEET

1. Identification

1. Identification			
Product identifier	HydroForce® All Purpose Degreaser - 275 gal		
Other means of identification			
Product Code	No. 14421 (Item# 1004975)		
Recommended use	General purpose degreaser		
Recommended restrictions	None known.		
Manufacturer/Importer/Supplier	/Distributor information		
Manufactured or sold by:			
Company name	CRC Industries, Inc.		
Address	885 Louis Dr.		
	Warminster, PA 18974 US		
Telephone			
General Information	215-674-4300		
Technical Assistance	800-521-3168		
Customer Service	800-272-4620		
24-Hour Emergency (CHEMTREC)	800-424-9300 (US)		
Website	www.crcindustries.com		
2. Hazard(s) identification	1		
Physical hazards	Not classified.		
Health hazards	Serious eye damage/eye irritation Category 2A		
Environmental hazards	Hazardous to the aquatic environment, acute Category 3 hazard		
	Hazardous to the aquatic environment, Category 3 long-term hazard		
OSHA defined hazards	Not classified.		
Label elements			
Signal word	Warning		
Hazard statement	Causes serious eye irritation. Harmful to aquatic life. Harmful to aquatic life with long lasting effects.		
Precautionary statement			
Prevention	Use with adequate ventilation. Open doors and windows or use other means to ensure a fresh air supply during use and while product is drying. If you experience any symptoms listed on this label, increase ventilation or leave the area. Wash thoroughly after handling. Wear eye protection/face protection. Avoid release to the environment.		
Response	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.		
Storage	Store away from incompatible materials.		
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.		
Hazard(s) not otherwise classified (HNOC)	None known.		

Supplemental information None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
water		7732-18-5	80 - 90
C9-11 alcohols ethoxylated		68439-46-3	3 - 5
dipropylene glycol methyl ether		34590-94-8	3 - 5
quaternary coco alkylamine		61791-10-4	1 - 3

ethoxylate

Specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures	
Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire-fighting equipment/instructions	Move containers from fire area if you can do so without risk. Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	This product is miscible in water. Prevent product from entering drains. Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
Environmental precautions	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Conditions for safe storage, including any incompatibilities

Avoid contact with eyes. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices. For product usage instructions, see the product label.

Store in a cool, dry place out of direct sunlight. Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

	Туре	Value
dipropylene glycol methyl ether (CAS 34590-94-8)	PEL	600 mg/m3
		100 ppm
US. ACGIH Threshold Limi		
Components	Туре	Value
dipropylene glycol methyl ether (CAS 34590-94-8)	STEL	150 ppm
	TWA	100 ppm
US. NIOSH: Pocket Guide f	o Chemical Hazards	
Components	Туре	Value
dipropylene glycol methyl ether (CAS 34590-94-8)	STEL	900 mg/m3
		150 ppm
	TWA	600 mg/m3
		100 ppm
ological limit values	No biological exposure limits	noted for the ingredient(s).
posure guidelines		
US - California OELs: Skin	designation	
dipropylene glycol meth US - Tennessee OELs: Ski	yl ether (CAS 34590-94-8) n designation	Can be absorbed through the skin.
dipropylene glycol meth US ACGIH Threshold Limit	yl ether (CAS 34590-94-8) : Values: Skin designation	Can be absorbed through the skin.
	yl ether (CAS 34590-94-8) • Chemical Hazards: Skin desig	Can be absorbed through the skin. gnation
	yl ether (CAS 34590-94-8) s for Air Contaminants (29 CFR	Can be absorbed through the skin. 1910.1000)
	yl ether (CAS 34590-94-8)	One has a based and the second the solution
dipropylene glycol meth		Can be absorbed through the skin.
dipropylene glycol meth propriate engineering ntrols	Good general ventilation (typi should be matched to condition or other engineering controls	cally 10 air changes per hour) should be used. Ventilation rates ons. If applicable, use process enclosures, local exhaust ventilation to maintain airborne levels below recommended exposure limits. If n established, maintain airborne levels to an acceptable level.
propriate engineering ntrols	Good general ventilation (typi should be matched to condition or other engineering controls	cally 10 air changes per hour) should be used. Ventilation rates ons. If applicable, use process enclosures, local exhaust ventilation to maintain airborne levels below recommended exposure limits. If n established, maintain airborne levels to an acceptable level. equipment
propriate engineering ntrols lividual protection measures	Good general ventilation (typi should be matched to condition or other engineering controls exposure limits have not been s, such as personal protective of	cally 10 air changes per hour) should be used. Ventilation rates ons. If applicable, use process enclosures, local exhaust ventilation to maintain airborne levels below recommended exposure limits. If n established, maintain airborne levels to an acceptable level. equipment
propriate engineering ntrols lividual protection measures Eye/face protection	Good general ventilation (typi should be matched to condition or other engineering controls exposure limits have not been s, such as personal protective of	cally 10 air changes per hour) should be used. Ventilation rates ons. If applicable, use process enclosures, local exhaust ventilation to maintain airborne levels below recommended exposure limits. If n established, maintain airborne levels to an acceptable level. equipment e shields (or goggles).
propriate engineering ntrols lividual protection measures Eye/face protection Skin protection	Good general ventilation (typi should be matched to condition or other engineering controls exposure limits have not been s, such as personal protective of Wear safety glasses with side	cally 10 air changes per hour) should be used. Ventilation rates ons. If applicable, use process enclosures, local exhaust ventilation to maintain airborne levels below recommended exposure limits. If n established, maintain airborne levels to an acceptable level. equipment e shields (or goggles). as: Nitrile. Rubber.
propriate engineering ntrols lividual protection measures Eye/face protection Skin protection Hand protection	Good general ventilation (typi should be matched to conditio or other engineering controls exposure limits have not beer s, such as personal protective of Wear safety glasses with side Wear protective gloves such a Wear suitable protective cloth If engineering controls are no NIOSH-approved cartridge re	cally 10 air changes per hour) should be used. Ventilation rates ons. If applicable, use process enclosures, local exhaust ventilation to maintain airborne levels below recommended exposure limits. In established, maintain airborne levels to an acceptable level. equipment e shields (or goggles). as: Nitrile. Rubber. hing. t feasible or if exposure exceeds the applicable exposure limits, us spirator with an organic vapor cartridge. Use a self-contained ed spaces and for emergencies. Air monitoring is needed to

9. Physical and chemical properties

	• •
Appearance	
Physical state	Liquid.
Form	Liquid.
Color	Purple.
Odor	Pleasant.
Odor threshold	Not available.
рН	10.2
Melting point/freezing point	-112 °F (-80 °C) estimated
Initial boiling point and boiling range	212 °F (100 °C) estimated
Flash point	None.
Evaporation rate	Slow.
Flammability (solid, gas)	Not available.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	1.1 % estimated
Flammability limit - upper (%)	14 % estimated
Vapor pressure	20 hPa estimated
Vapor density	Not available.
Relative density	1.04
Solubility(ies)	
Solubility (water)	Soluble.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	302 °F (150 °C) estimated
Decomposition temperature	Not available.
Percent volatile	87.7 % estimated
10. Stability and reactivity	
Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.

11. Toxicological information

Hazardous decomposition

products

Information on likely routes of exposure				
Inhalation	Prolonged inhalation may be harmful.			
Skin contact	No adverse effects due to skin contact are expected.			
Eye contact	Causes serious eye irritation.			
Ingestion	Expected to be a low ingestion hazard.			
Symptoms related to the physical, chemical and toxicological characteristics	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.			

Carbon oxides. Hydrocarbon fumes and smoke. Aldehydes. Acrolein.

Information on toxicological ef	ffects			
Acute toxicity	Not know	n.		
Components	Species	s	Test Results	
C9-11 alcohols ethoxylated (CAS	3 68439-46-3)		
<u>Acute</u>				
Dermal				
LD50	Rabbit		5000 mg/kg	
Oral				
LD50	Rat		1378 mg/kg	
dipropylene glycol methyl ether (CAS 34590-9	94-8)		
<u>Acute</u>				
Dermal	Dabbit			
LD50	Rabbit		9.5 g/kg	
Oral	D.1		5.05 . // .	
LD50	Rat		5.35 g/kg	
quaternary coco alkylamine etho	xylate (CAS 6	61791-10-4)		
<u>Acute</u>				
Oral	Dat		580 malka	
LD50	Rat		580 mg/kg	
Skin corrosion/irritation	•	d skin contact may cause	temporary irritation.	
Serious eye damage/eye irritation	Causes s	erious eye irritation.		
	.			
Respiratory or skin sensitization Respiratory sensitization		niratory sensitizer		
Skin sensitization	-	Not a respiratory sensitizer. This product is not expected to cause skin sensitization		
Germ cell mutagenicity	•	This product is not expected to cause skin sensitization. No data available to indicate product or any components present at greater than 0.1% are		
Germ cen mutagementy		mutagenic or genotoxic.		
Carcinogenicity	Not classi	ifiable as to carcinogenicit	y to humans.	
IARC Monographs. Overal	I Evaluation	of Carcinogenicity		
Not listed.				
OSHA Specifically Regulat	ted Substand	ces (29 CFR 1910.1001-1	052)	
Not regulated. US. National Toxicology P	rogram (NTE	P) Report on Carcinogen	e	
Not listed.	rogram (NT) Report on Oarchogen	3	
Reproductive toxicity	This prod	uct is not expected to cause	se reproductive or developmental effects.	
Specific target organ toxicity -	-	•	· · · · · · · · · · · · · · · · · · ·	
single exposure				
Specific target organ toxicity - repeated exposure	Not classi	ified.		
Aspiration hazard	Not an as	piration hazard.		
Chronic effects		d inhalation may be harmf	ul.	
12. Ecological information		,		
Ecotoxicity		o aquatic life with long last	ting effects	
Components		Species	Test Results	
C9-11 alcohols ethoxylated	(CAS 68430_	•		
Aquatic	, 5, 15 00+00-			
Acute				
Crustacea	EC50	Daphnia	1 - 10 mg/l, 48 hours	
Fish	LC50	Fish	1 - 10 mg/l, 96 hours	
	2000			

Components		Species	Test Results
quaternary coco alkylamine	ethoxylate (C	AS 61791-10-4)	
Aquatic <i>Acute</i> Fish	LC50	Trout family (Salmonidae)	24 mg/l, 96 hours
Persistence and degradability Bioaccumulative potential	No data is	s available on the degradability of any ir	ngredients in the mixture.
Nobility in soil	No data a	vailable.	
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.		
13. Disposal consideration	ons		
lazardous waste code	Not regula	ated.	

Hazardous waste code	Not regulated.
Disposal instructions	This product is not a RCRA hazardous waste (See 40 CFR Part 261.20 – 261.33). Empty containers may be recycled. Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

15. Regulatory information

US federal regulations

This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

CERCLA Hazardous Substances: Reportable quantity

Not listed.

Spills or releases resulting in the loss of any ingredient at or above its RQ require immediate notification to the National Response Center (800-424-8802) and to your Local Emergency Planning Committee.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water ActNot regulated.(SDWA)Not regulated.Food and DrugNot regulated.

Food and Drug Administration (FDA)

Superfund Amendments and Re	eauthorization Act of 1986 (SARA)	
Classified hazard categories	Serious eye damage or eye irritation	
SARA 302 Extremely hazar	dous substance	
Not listed.		
SARA 311/312 Hazardous chemical	Yes	
SARA 313 (TRI reporting) Not regulated.		
US state regulations		
US. New Jersey Worker and	d Community Right-to-Know Act	
US. Massachusetts RTK - S		
US. Pennsylvania Worker a	/l ether (CAS 34590-94-8) nd Community Right-to-Know Law	
dipropylene glycol methy US. Rhode Island RTK	l ether (CAS 34590-94-8)	
dipropylene glycol methy	/l ether (CAS 34590-94-8)	
California Proposition 65		
	ancer and Reproductive Harm - www.P65Warnings.ca.gov	
California Branasitian	65 CDT: Listed data/Caraina gania substance	
-	65 - CRT: Listed date/Carcinogenic substance	
benzene (CAS 71-4 California Proposition	3-2) Listed: February 27, 1987 65 - CRT: Listed date/Developmental toxin	
benzene (CAS 71-4	-	
toluene (CAS 108-8	,	
California Proposition	65 - CRT: Listed date/Male reproductive toxin	
benzene (CAS 71-4	3-2) Listed: December 26, 1997	
Volatile organic compounds (V EPA	OC) regulations	
VOC content (40 CFR 51.100(s))	0.4 % (at minimum dilution)	
	4 % (concentrate)	
Consumer products (40 CFR 59, Subpt. C)	Not regulated	
State		
Consumer products	This product is regulated as a General Purpose Degreaser (non-aerosol). compliant for use in all 50 states.	This product is
VOC content (CA)	0.4 % (at minimum dilution) 4 % (concentrate)	
VOC content (OTC)	0.4 % (at minimum dilution) 4 % (concentrate)	
International Inventories		
Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	Yes
		103

Country(s) or region	Inventory name On inventory (y	/no)*
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes
*Δ "Ves" indicates that all compo	nents of this product comply with the inventory requirements administered by the governing country(s)	

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	10-03-2019
Prepared by	Allison Yoon
Version #	01
Further information	CRC # 436I/1002422
Disclaimer	The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. This information is accurate to the best of CRC's knowledge or obtained from sources believed by CRC to be accurate. Before using any product, read all warnings and directions on the label. For further clarification of any information contained on this (M)SDS consult your supervisor, a health & safety professional, or CRC Industries, Inc
Revision information	This document has undergone significant changes and should be reviewed in its entirety.